

GENERAL ELECTRIC CO.,SILICONE PRODUCTS DIVISION -- RTV88 -- 8030-00-145-0383

=====
Product Identification
=====

Product ID:RTV88

MSDS Date:01/08/1986

FSC:8030

NIIN:00-145-0383

MSDS Number: BDCGX

=== Responsible Party ===

Company Name:GENERAL ELECTRIC CO.,SILICONE PRODUCTS DIVISION

City:WATERFORD

State:NY

ZIP:12188

Info Phone Num:(518)237-3330

Emergency Phone Num:(518)237-3330

CAGE:01139

=== Contr

actor Identification ===

Company Name:GENERAL ELECTRIC CO, SILICONE PRODUCTS BUSINESS DEPT

Address:260 HUDSON RIVER RD

Box:City:WATERFORD

State:NY

ZIP:12188

Country:US

Phone:518-237-3330/800-332-3390

CAGE:01139

=====
Composition/Information on Ingredients
=====

Ingred Name:ETHYL SILICATE

CAS:78-10-4

RTECS #:VV9450000

Fraction by Wt: 1000(RAT)MG/KG;INHAL(SUP DAT)

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SEE SIGNS & SYMPTOMS OF OVERE
XPOSURE

SECTION .

Explanation of Carcinogenicity:NOT APPLICABLE

Effects of Overexposure:ACUTE:INGESTION-MAY CAUSE STOMACH DISCOMFORT.

SKIN-PLANT EXPERIENCE HAS SHOWN THAT SKIN HAZARD IS NOT APPLICABLE

IN THIS FORM. INHALATION-NONE KNOWN. EYE-MAY CAUSE MILD EYE

IRRITATION. CHRONIC:LIVER & KIDNEY DAMAGE.

Medical Cond Aggravated by Exposure:NONE KNOWN.

=====
First Aid Measures
=====

First Aid:EYE:IMME FLUSH W/LGE AMTS OF WTR FOR AT LEAST 15

MIN & GET

MED ATTN IF IRRITATION PERSISTS. INGESTION: IF SWALLOWED DO NOT INDUCE VOMITING, GIVE LGE QUAN OF WTR TO DRINK & GET MED ATTN, NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. SKIN: WASH W/SOAP & WTR. INHALATION: REMOVE TO FRESH AIR. SUPPORT BREATHING (GIVE O*2/ARTIFICIAL RESPIRATION) .

=====
===== Fire Fighting Measures =====

Flash Point Method: PMCC
Flash Point: >200F/>93C
Lower Limits: N/APPLICABLE
Upper Limits: N/APPLICABLE
Extinguishing Media: A
LL STANDARD FIREFIGHTING MEDIA.
Fire Fighting Procedures: USE NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT .
Unusual Fire/Explosion Hazard: N/K .

=====
===== Accidental Release Measures =====

Spill Release Procedures: WIPE, SCRAPE/SOAK UP IN AN INERT MATL & PUT IN A CONTAINER FOR DISPOSAL. WASH WALKING SURFACES W/DETERGENT & WTR TO REDUCE SLIPPING HAZARD. WEAR PROPER PROTECTIVE EQUIPMENT AS SPECIFIED IN THE PROTECTIVE EQUIPMENT SECTION.
Neutralizing Agent: N/K

=====
===== Handling and Storage =====

Handling and Storage Precautions: AVOID CONTACT W/SKIN & EYES. USE ONLY IN A WELL VENTILATED AREA. CAUTION!
Other Precautions: EYEWASH STATIONS. USE IN A WELL VENTILATED AREA.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection: NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN .
Ventilation: USE ONLY IN WELL VENTILATED AREA.
Protective Gloves: CLOTH GLOVES.

Eye Protection:SAFETY GLASSES.
Other Protective Equipment:EYEWASH STATIONS.
Work Hygienic Practices:N/K .
Supplemental Safety and Health
LD50-LC50MIX:LC50:>1000PPM/4HR(RAT).RTE ENTRY:

===== Physical/Chemical Properties =====

HCC:N1
Boiling Pt:B.P. Text:>500F/>260C
Melt/Freeze Pt:M.P/F.P Text:N/APPLICABL
Decomp Temp:Decomp Text:N/K
Vapor Pres:NEGLIGIBLE
Vapor Density:NEGLIGIBLE
Spec Gravity:1.50
pH:N/APPL
Evaporation Rate & Reference:NEGLIGIBLE
Solubility in Water:INSOLUBLE
Appearance and Odor:N/K
Percent Volatiles by Volume: