View NSN Online: https://aerobasegroup.com/nsn/3439-00-145-9132

Product ID:3439-00-145-9132 (PREV.P/N O-F-506C,TYPE I,FORM B) MSDS Date:04/01/1993 FSC:3439 NIIN:00-145-9132 **MSDS Number: BDCJB** === Responsible Party === Company Name: ALLEN L B CO INC Address:725 N CENTRAL City:WOOD DALE State:IL ZIP:60191-1240 Country:US Info Phone Num:70 8-595-2600 Emergency Phone Num:708-595-2600 CAGE:70279 === Contractor Identification === Company Name:L.B. ALLEN CO INC Address:725 N CENTRAL Box:City:WOODALE State:IL ZIP:60191-1240 Country:US Phone:708-595-2600 CAGE:70279

Ingred Name:ZINC CHLORIDE (SARA III) CAS:7646-85-7 RTECS #:ZH1400000 OSHA PEL:1 MG/M3 ACGIH TLV:1MG/M3/2STEL(FUME)94 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:AMMONIUM CHLORIDE (SARA III) CA

S:12125-02-9 RTECS #:BP4550000 OSHA PEL:10 MG/M3 ACGIH TLV:10 MG/M3 FUME; 9394 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:NO INFORMATION GIVEN BY MFR ON MSDS. Explanation of Carcinogenicity:NOT LISTED AS A CARCINOGEN OR POTENTIAL CARCINOGEN BY NTP, IARC OR OSHA. Effects of Overexposu re:IRRITATION OF SKIN OR EYES DUE TO LIQUID. FUMES OF ZINC CHLORIDE PRODUCE IRRITATION TIO EYES, NOSE, THROAT.

EVENTUALLY TOXICITY FROM ZINC.

Medical Cond Aggravated by Exposure:NO INFORMATION GIVEN BY MFR ON MSDS.

First Aid:FLUSH EYES OR SKIN WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES WHILE REMOVING CONTAMINATED CLOTHING. IF INHALED, GET PLENTY OF FRESH AIR, CALL PHYSICIAN.

====== Fire

Fighting Measures =================

Flash Point:NONE Extinguishing Media:NON-FLAMMABLE Fire Fighting Procedures:NO INFORMATION GIVEN BY MFR ON MSDS. Unusual Fire/Explosion Hazard:NONE

Spill Release Procedures: FLUSH WELL WITH ADEQUATE QUANTITIES OF WATER. Neutralizing Agent: NO INFORMATION GIVEN BY MFR ON MSDS.

Handling and Storage Precautions:NONE PART

ICULAR. AVOID BREATHING ZINC CHLORIDE FUMES. Other Precautions:NONE

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:FUME OR OXYGEN Ventilation:LOCAL EXHAUST:GOOD EXHAUST FAN. Protective Gloves:RUBBER Eye Protection:SPLASH PROOF GOGGLES Other Protective Equipment:RUBBER APRON. Work Hygienic Practices:MFR: ? HMIS:USE STRICT CHEMICAL HYGIENE PRACTICE. AVOID UNNECESSARY EXPOSURE. WASH THOROUGHLY BEFORE EATING OR DRINKING. Supplemental Safety a nd Health NONE

HCC:C1 NRC/State Lic Num:NONE Boiling Pt:B.P. Text:>212F/>100C Vapor Pres:AS WATER Vapor Density:AS WATER Spec Gravity:1.218 Evaporation Rate & amp; Reference:>1 (NO REF. GIVEN) Solubility in Water:SOLUBLE Appearance and Odor:COLORLESS & ODORLESS,SLIGHTLY VISCOUS LIQUID

Stability Indicator/Materials to Avoid:YES ALKALIES Stability Condition to Avoid:PREVENT OVERHEATING IN UNVENTILATED ROOM Hazardous Decomposition Products:EVOLVES FUMES OF ZNCL2 ON HEATING. Conditions to Avoid Polymerization:WILL NOT OCCUR.

Waste Disposal Methods: FLUSH WITH ADEQUATE VOLUMES OF WATER OR DUMP INTO WASTE DISPOSAL PIT.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The Un ited States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.