

H.B.FULLER CO -- FULLER S SC 840 -- 8040-00-152-0063

=====  
Product Identification  
=====

Product ID:FULLER S SC 840  
MSDS Date:01/01/1985  
FSC:8040  
NIIN:00-152-0063  
Kit Part:Y  
MSDS Number: BDCVF  
=== Responsible Party ===  
Company Name:H.B.FULLER CO  
Address:2400 KASOTA AVE  
City:ST PAUL  
State:MN  
ZIP:55108-1511  
Country:US  
CAGE:KO325  
=== Contractor Identification ===  
Company Name:FULLER H B CO  
Address:24  
00 KASOTA AVE  
Box:City:ST PAUL  
State:MN  
ZIP:55108-1511  
Country:US  
Phone:612-645-3401  
CAGE:92528  
Company Name:H.B.FULLER CO  
Address:2400 KASOTA AVE  
Box:City:ST PAUL  
State:MN  
ZIP:55108-1511  
Country:US  
CAGE:KO325

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ACETONE  
Fraction by Wt: 30.0%  
ACGIH TLV:1000 PPM

Ingred Name:CYCLOHEXANONE (SARA III)  
CAS:108-94-1  
RTECS #:GW1050000  
Fraction by Wt: 5.0%  
OSHA PEL:S, 50 PPM  
ACGIH TLV:S, 25 PPM; 9293  
EPA Rpt Qty:5000 LBS  
D

OT Rpt Qty:5000 LBS

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)

CAS:78-93-3

RTECS #:EL6475000

Fraction by Wt: 17.0%

OSHA PEL:200 PPM/300 STEL

ACGIH TLV:200 PPM/300STEL 9192

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:PROPYLENE OXIDE (SARA III)

CAS:75-56-9

RTECS #:TZ2975000

Fraction by Wt: 0.5%

OSHA PEL:100 PPM

ACGIH TLV:20 PPM; 9293

EPA Rpt Qty:100 LBS

DOT Rpt Qty:100 LBS

Ingred Name:TOLUENE (SARA III)

CAS:108-88-3

RTECS #:XS5250000

Fraction by Wt: 17.0%

OSHA PE

L:200 PPM/150 STEL

ACGIH TLV:50 PPM; 9293

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

=====  
===== Hazards Identification =====

Effects of Overexposure:EYES-SEVERE IRRITATION.SKIN-MOD  
DEFATTING.INHALATION-IRRITATION;POSSIBLE UNCONSCIOUSNESS

=====  
===== First Aid Measures =====

First Aid:EYES-FLUSH WITH WATER.SKIN-WASH WITH MINERAL SPIRITS-THEN  
SOAP & WATER.APPLY SKIN LOTION.INHALATION-REMOVE TO FRESH AIR.KEEP  
QUIET.ADMINIST

ER ARTIFICIAL RESPIRTION IF NECESSARY.CALL A  
PHYSICIAN

===== Fire Fighting Measures =====

Flash Point:1  
Evaporation Rate & Reference:< ETHER  
Appearance and Odor:NA  
Percent Volatiles by Volume:70.0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
Stability Condition to Avoid:KEEP AWAY FROM OPEN FLAMES OR IGNITION  
SOURCES  
Hazardous Decomposition Products:MAY PRODUCE CO,CO\*2,AND VARIOUS

HYDROCARBONS  
Conditions to Avoid Polymerization:AVOID STRONG OXIDIZING AGENTS

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE OR LANDFILL ACCORDING TO LOCAL,STATE  
& FEDERAL REGULATIONS

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this info  
rmation to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.