View NSN Online: https://aerobasegroup.com/nsn/6750-00-155-6956

Product ID:189 5531,22 FIXER(DISCONTINUED) MSDS Date:07/12/1978 FSC:6750 NIIN:00-155-6956 **MSDS Number: BDCYB** === Responsible Party === Company Name: EASTMAN KODAK COMPANY Address:343 STATE STREET City:ROCHESTER State:NY ZIP:14650 Emergency Phone Num:716-722-5151 CAGE:19139 === Contractor Identification === Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS Address:343 STATE ST Box:City:ROCHESTER State:NY ZIP:14650-1115 Country:US Phone:716-722-5151/(800) 242-2424 CAGE:19139

Ingred Name:AMMONIUM THIOCYANATE CAS:928-57-4 RTECS #:XK8750000 Fraction by Wt: 5-20%

Ingred Name:AMMONIUM THIOSULFATE CAS:7783-18-8 RTECS #:XN6465000 Fraction by Wt: 10-25%

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Frac tion by Wt: 60-75%

======================================
Effects of Overexposure:LOW HAZARD
======================================
First Aid:MANUFACTURER STATES NONE INDICATED BUT GOOD SAFETY HYGIENE PROCEDURES SHOULD BE FOLLOWED.
======================================
Flash Point:NONE Fire Fighting Procedures:NONE Unusual Fire/Explosion Hazard:NONE
<pre>====================================</pre>
Spill Release Procedures:NEUTRALIZE WITH SODIUM CARBONATE.FLUSH DOWN SEWER WITH COPIUS AMOUNTS OF WATER.STATE AND LOCAL EFFLUENT LAWS TAKE PRECEDENCE.
======================================
Handling and Storage Precautions:STORE AWAY FROM STRONG ALKALI Other Precautions:NONE
======================================
Respiratory Protection:NO Ventilation:NO Protective Gloves:IMPERVIOUS Eye Protection:CHEMICA L/SAFETY GOGGLES Other Protective Equipment:NO Supplemental Safety and Health ADDENDUM TO MSDS DATED 2-19-81.
======================================
HCC:N1 Boiling Pt:B.P. Text:>212F/100C Vapor Pres:15 Vapor Density:0.7 Spec Gravity:1.16 Solubility in Water:COMPLETE Appearance and Odor:CLEAR SOLUTION, SLIGHT VINEGAR ODOR, COLORLESS Percent Volatiles by Volume:76

Stability Indicator/Materials to

Avoid:YES MINERAL ACIDS Hazardous Decomposition Products:SULFUR DIOXIDE

Waste Disposal Methods:NEUTRALIZE WITH SODIUM CARBONATE.FLUSH DOWN SEWER WITH COPIUS AMOUNTS OF WATER.STATE AND LOCAL EFFLUENT LAWS TAKE PRECEDENCE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner wh atsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.