

STEVEN INDUSTRIES -- 6549CVV -- 8040-00-159-4884

=====  
Product Identification  
=====

Product ID:6549CVV  
MSDS Date:01/01/1987  
FSC:8040  
NIIN:00-159-4884  
MSDS Number: BDDDBZ  
=== Responsible Party ===  
Company Name:STEVEN INDUSTRIES  
Address:39 AVENUE C  
Box:8  
City:BAYONNE  
State:NJ  
ZIP:07002-3417  
Country:US  
Info Phone Num:201-437-6501  
Emergency Phone Num:201-437-6501  
CAGE:33150  
=== Contractor Identificati  
on ===  
Company Name:STEVEN INDUSTRIES  
Address:39 AVENUE C  
Box:8  
City:BAYONNE  
State:NJ  
ZIP:07002-3417  
Country:US  
Phone:201-437-6501  
CAGE:33150

=====  
Composition/Information on Ingredients  
=====

Ingred Name:NITRILE RUBBER  
Fraction by Wt: 12%  
ACGIH TLV:UNK

Ingred Name:KETONE & TOLUENE MIXTURE  
Fraction by Wt: 71%  
ACGIH TLV:600PPM

Ingred Name:VINYL RESIN  
ACGIH TLV:UNK

Ingred Name:STABILIZERS  
ACGIH TLV:UNK

=====  
Hazards Identification  
=====

Ef

ffects of Overexposure:PROLONGED EXPOSURE CAN CAUSE NAUSEA AND/OR NARCOSIS.SKIN OR EYE CONTACT MAY CAUSE IRRITATION.

=====  
First Aid Measures  
=====

First Aid:EYES-FLUSH ABUNDANTLY W/CLEAN WATER & REFER TO PHYSICIAN.EXCESSIVE INHALATION:REMOVE PATIENT TO FRESH AIR OR GIVE OXYGEN.

=====  
Fire Fighting Measures  
=====

Flash Point:15F O.C.-9C  
Lower Limits:1.3  
Upper Limits:13.0  
Extinguishing Media:CO\*2,FOAM,DRY CHEMI  
CAL,TRICHTHLORETHANE  
Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS SHOULD BE WORN NIOSH APRV  
Unusual Fire/Explosion Hazard:NONE

=====  
Accidental Release Measures  
=====

Spill Release Procedures:ABSORB SPILL IN SAND EARTH,VERMICULITE, OIL-DRI OR SOL-SPEED-DRI. SHOVEL ABSORBENT MIXTURE INTO STEEL CONTAINER & COVER.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE IN APPROVED SOLVENT STORAGE AREA.KEEP CONTAINER CLOSED WHEN NOT IN USE.KEEP AWAY FROM HEAT,OPEN FLAMES & SPARKS.

=====  
Exposure Controls/Personal Protection  
=====

Ventilation:REMOVE VAPORS DURING PROCESSING  
Eye Protection:SAFETY GLASSES  
Supplemental Safety and Health  
PROCURED UNDER CVV

=====  
Physical/Chemical Properties  
=====

HCC:F2  
Boiling Pt:B.P. Text:132  
Vapor Pres:185  
Vapor Density:3.1  
Spec Gravity:0.9  
Evaporation Rate & Reference:BY ACETATE 7.7  
Appears

nce and Odor: CLEAR, VERY LIGHT AMBER COLOR SWEET PUNGENT RUBBERY  
Percent Volatiles by Volume: 77%

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

Hazardous Decomposition Products: OXIDES OF CARBON & NITROGEN, CHLORINE  
GAS

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE IN ACCORDANCE W/FEDERAL, STATE & LOCAL  
SOLVENT WASTE DISPOSAL REGULATIONS.

Disclaimer (provided with this  
information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.