

SEAPORT CHEMICALS INC (FORMERLY:THREE M SUPPLY CO) -- 266C,COMPOUND THINNING LIQUID. -- 8010-00-160-5788

===== Product Identification =====

Product ID:266C,COMPOUND THINNING LIQUID.

MSDS Date:01/01/1985

FSC:8010

NIIN:00-160-5788

MSDS Number: BDDGC

=== Responsible Party ===

Company Name:SEAPORT CHEMICALS INC (FORMERLY:THREE M SUPPLY CO)

Address:610 DEXTER AVE N

City:SEATTLE

State:WA

ZIP:98109

Coun

try:US

CAGE:2E758

=== Contractor Identification ===

Company Name:SEAPORT CHEMICALS CO

Address:610 DEXTER AVE N

Box:City:SEATTLE

State:WA

ZIP:98109

Country:US

CAGE:2E758

===== Composition/Information on Ingredients =====

Ingred Name:N-BUTYL ALCOHOL (SARA III)

CAS:71-36-3

RTECS #:EO1400000

OSHA PEL:100 PPM

ACGIH TLV:S, C 50 PPM; 9293

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:METHYL ISOBUTYL KETONE (SARA III)

CAS:108-10-1

RTECS #:SA9275000

OSHA PEL:100 PPM/75 STEL

ACGIH TLV:50 PPM/75 STEL; 9293
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:ISOBUTYL ALCOHOL (SARA III)
CAS:78-83-1
RTECS #:NP9625000
OSHA PEL:100 PPM
ACGIH TLV:50 PPM; 9293
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:N-BUTYL ACETATE (SARA III)
CAS:123-86-4
RTECS #:AF7350000
OSHA PEL:150 PPM/200 STEL
ACGIH TLV:150 PPM/200STEL;9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:ISOBUTYL ACETATE (SARA III)
CAS:110-19-0
RTECS #:AI4025000
OSHA PEL:150 PPM
ACGIH TLV:1
50 PPM; 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

=====
===== Hazards Identification =====

Effects of Overexposure:EYE/SKIN: IRRIT. VAPORS: DIZZY,HEADACHE,SLIGHT
EUPHORIA,LOSS OF COORDINATION,LIGHT-HEADED FEELING.

=====
===== First Aid Measures =====

First Aid:EYE: FLUSH WITH WATER 15 MIN. SKIN: FLUSH WITH WATER.
INHALATION: REMOVE TO FRESH AIR. INGESTION: DO NOT INDUCE
VOMITING,CALL PHYSICIAN

=====

Fire Fighting Measures =====

Flash Point:99

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS
Hazardous Decomposition Products:CO*2,WATER

===== Disposal Considerations =====

Waste Disposal Methods:FLUSH WELL WITH WATER,FLUSH DRAIN WITH WATER TO
AVOID VAPORBACK-UP. COMPLY WITH ALL LOCAL,STATE AND FEDERAL
REGULATIONS.

Disclaimer (provided with this
information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.