View NSN Online: https://aerobasegroup.com/nsn/8010-00-160-5788

STIC-ADHESIVE PRODUCTS CO INC -- AA-857A -- 8010-00-160-5788

Product ID:AA-857A MSDS Date:01/01/1985 FSC:8010 NIIN:00-160-5788 **MSDS Number: BDDGG** === Responsible Party === Company Name: STIC-ADHESIVE PRODUCTS CO INC Address:3950 MEDFORD ST **City:LOS ANGELES** State:CA ZIP:90063-1675 Country:US CAGE:59142 === Contractor Identification === Company Name:STIC-ADHESIVE P RODUCTS CO INC Address:3950 MEDFORD ST Box:City:LOS ANGELES State:CA ZIP:90063-1675 Country:US CAGE:59142 Ingred Name:SOLVENTS Fraction by Wt: 100% ACGIH TLV:95 PPM

Effects of Overexposure:DRIES SKIN. INHALING MAY CAUSE ANESTHESIA, HEADACHE, DIZZINESS- UPPER RESPIRATORY IRRITATION.

First Aid:INHALATION-MOVE TO FRESH AIR; ARTIFICIAL RESPIRATION IF NECESSARY. CALL DOCTOR. SKIN-WASH WITH SOAP & WATER, APPLY MILD SKIN CREAM. SEVER CASES-CALL DOCTOR. EYE-FLUSH WITH WATER; CALL DOCTOR. INGESTIO N- CALL DOCTOR.

Flash Point:20F, -7C TCC Extinguishing Media:FOAM, CO, DRY CHEMICALS Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS. WATER MAY BE UNSUITABLE Unusual Fire/Explosion Hazard:A VOID SPARKS, FIRE OR METAL SURFACES.

Spill Release Procedures: AVOID SPARKS, FIRE OR HOT METAL SURFACES-FLUSH WITH WATER INTO NON-HAZARDOUS RETAINING AREA OR CONTAINER. SMALL QUANTITIES MAY BE ABSORBED ON APPROPRIATE ABSORBENT.

Handling and Storage Precautions: KEEP COOL & AWAY FROM SOURCES OF IGNITION. USE WITH ADEQUATE VENTILATION.
Other Precauti ons: AVOID PERSONAL CONTACT. WASH OFF SPILLED LIQUID. REMOVE WET CLOTHING.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:DEPENDS ON CON. ABOVE TIME-WEIGHED TLV, CARTRIDGE RESPIRATOR ORMASK Ventilation:SUFFICIENT TO KEEP AREA BELOW TLV Protective Gloves:IMPERMEABLE Eye Protection:CHEMICAL GOGGLES Other Protective Equipment:IMPERMEABLE APRON, IMPERMEABLE GLOVES OR BARRIER CREAM. Supplemental Safety and Health

======= Physical/C

hemical Properties ================

HCC:F2 Boiling Pt:B.P. Text:192-239F Vapor Pres:56 Vapor Density:3.3 Spec Gravity:0.822 Evaporation Rate & amp; Reference:2.4/BUAC Solubility in Water:MODERATE Appearance and Odor:CLEAR, COLORLESS LIQUID Percent Volatiles by Volume:100

Stability Indicator/Materials to Avoid:YES STRONG OXIDANTS; STRONG ACIDS & BASES; SELECTED AMINES. Stability Condition to Avoid:HEAT, SPARKS, OPEN FLAMES, FIRE Hazardous Decomposition Products:MAY YIELD CO OR CO2.

Waste Disposal Methods: INCINERATE UNDER SAFE CONDITIONS OR DISPOSE OF IN ACCORDANCE WITH STATE, LOCAL OR FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrant

s this information to be accurate and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.