View NSN Online: https://aerobasegroup.com/nsn/8010-00-160-5788

HOUSTON SOLVENTS AND CHEMICALS -- 266D AMENDMENT 2, LAQUER THINNER

8010-00-160-5788

============= Product Identification =================

Product ID:266D AMENDMENT 2, LAQUER THINNER

MSDS Date:01/01/1987

FSC:8010

NIIN:00-160-5788

MSDS Number: BDDGH === Responsible Party ===

Company Name: HOUSTON SOLVENTS AND CHEMICALS

Address:1010 W LOOP N

City:HOUSTON

State:TX

ZIP:77055-7216 Country:US

Info Phone Num:713-937-9300

F

mergency Phone Num:713-937-9300

CAGE:60786

=== Contractor Identification ===

Company Name: HOUSTON SOLVENTS AND CHEMICALS CO

Address:1010 W LOOP N Box:City:HOUSTON

State:TX

ZIP:77055-7216 Country:US CAGE:60786

======= Composition/Information on Ingredients ========

Ingred Name: ACETATES Fraction by Wt: >100%

Ingred Name:AROMATICS Fraction by Wt: >100%

Ingred Name: ALCOHOLS (TYPE NOT SPECIFIED)

Fraction by Wt: >100%

Ingred Name: KETONES (TYPE NOT SPECIFIED)

Fraction by Wt: >100%

In

gred Name:NAPHTHA Fraction by Wt: >100%
============= Hazards Identification =============
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INHALATION: ANESTHETIC. RESPIRATORY TRACT IRRITATION. NERVOUS SYSTEM DEPRESSION. Explanation of Carcinogenicity:NONE
======================================
First Aid:EYES/SKIN: FLUSH W/WATER FOR AT LEAST 15 MINS.
INHALATION: REMOVE TO FRESH AIR. RESTORE BREATHING. INGESTION: DON'T INDUCE VOMITING. OBTAIN MEDICAL ATTENTION IN ALL CASES.
======================================
Flash Point:2F Lower Limits:1.7% Extinguishing Media:CO2, DRY CHEMICAL, OR FOAM Fire Fighting Procedures:WATER SPRAY MAY BE INEFFECTIVE ON FIRE, BUT CAN PROTECT FIREFIGHTERS & COOL CLOSED CONTAINERS. USE FOG NOZZLES IF WATER IS USED. USE AIR SUPPLIED BREATHING MASK Unusual Fire/Explosio n Hazard:CLOSED CONTAINERS MAY EXPLODE IF EXPOSED TO EXTREME HEAT. VAPORS MAY IGNITE EXPLOSIVELY, MAY ALSO TRAVEL LONG DISTANCES. PREVENT BUILD OF VAPORS.
======================================
Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION. VENTILATE AREA. REMOVE W/INERT, ABSORBENT & NON-SPARKING PRODUCTS.
======================================
Handling and Storage Precautions:DON'T STORE >120F. STORE LARGE AMOUN TS IN STRUCTURES MADE FOR OSHA CLASS 1B LIQUIDS. AVOID FREE FALL OF LIQUID. GROUND CONTAINERS WHEN POURING. Other Precautions:DON'T FLAME CUT/SAW/BRAZE/WELD. EMPTY CONTAINER MAY BE HAZARDOUS. CONTINUE ALL LABEL PRECAUTIONS. EXTINGUISH ALL PILOT LIGHTS & TURN OFF HEATERS, NON-EXPLOSION PROOF ELEC EQUIP & OTHER IGNITION SOURCE S DURING USE OR UNTIL VAPORS ARE GONE.
====== Exposure Controls/Personal Protection =======
Respiratory Protection:IF OVER TLV, USE SELF

CONTAINED AIR PACK.  Ventilation:VENTILATE TO KEEP AIR BELOW 65 PPM. LOCAL EXHAUST:     PREFERABLE. MECHANICAL (GENERAL): ACCEPTABLE.  Protective Gloves:PREFERABLE  Eye Protection:CHEMICAL GOGGLES  Supplemental Safety and Health FLAMMABLE LIQUID.
======== Physical/Chemical Properties =========
HCC:F2 Boiling Pt:B.P. Text:139-268F Vapor Pres:48.5 Vapor Density:3 Spec Gravity:0.822 Evaporation Rate & Description of the Company of the
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZERS Stability Condition to Avoid:HEAT, SPARKS, OPEN FLAME OR OTHER SOURCES OF IGNITION. Hazardous Decomposition Products:CO
======= Disposal Considerations ==========
Waste Disposal Methods:INCINERATE ACCORDING TO AIR POLLUTION REGULATIONS. DON'T INCINERATE IN CLOSED C ONTAINERS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their partic

