View NSN Online: https://aerobasegroup.com/nsn/8010-00-160-5798

CHEMICAL COMMODITIES AGENCY, INC. -- PAINT REMOVER -- 8010-00-160-5798

Product ID:PAINT REMOVER MSDS Date:01/01/1987 FSC:8010 NIIN:00-160-5798 MSDS Number: BDDHJ === Responsible Party === Company Name: CHEMICAL COMMODITIES AGENCY, INC. Address:27447 PACIFIC STREET City:HIGHLAND State:CA ZIP:92346-2640 Country:US Info Phone Num:909-864-2310/FAX 6220 D. ANGELO Emer gency Phone Num:909-864-2310 CAGE:60777 === Contractor Identification === Company Name: CHEMICAL COMMODITIES AGENCY, INC. Address:27447 PACIFIC STREET Box:City:HIGHLAND State:CA ZIP:92346-2640 Country:US Phone:909-864-2310 CAGE:60777

Ingred Name: PARAFFINS (INCLUDING NAPHTHENES) AROMATICS

Ingred Name:BENZENE (SARA III) CAS:71-43-2 RTECS #:CY1400000 OSHA PEL:1PPM/5STEL;1910.1028 ACGIH TLV:10 PPM; A2; 9192 EPA Rpt Qty:10 LBS DO

T Rpt Qty:10 LBS

Effects of Overexposure: MAY CAUS SKIN IRRIT UPON PRLNG USE/REPEAT CONTCT.INGEST CAN RESULT IN ASPIRAT OF LGHT HYDROCARBN(SUP

First Aid:IF SWALLOW, DO NOT INDUC VOMITING. CALL DR. WASH EYES WITH FRESH WATER F/15 MIN.IF IRRIT CONTINUES, SEE DR. WASH THOROUGHLY W/SOAP & WATR AFTR SKN CONTCT. LAUNDER CONTAM CLOTHING. IF INHAL, REMOV TO

FRESH AIR .IF BREATHNG STOPPED, APPLY ARTIFIC RESPIR.CALL DR.

Flash Point:105F TCC 41C
Extinguishing Media:CO*2, DRY CHEM, FOAM, WATER SPRAY
Fire Fighting Procedures:DONOT ENTER CONFINED AREA W/O PRPR EQPMT.USE SELF-CONTND(SUP
Unusual Fire/Explosion Hazard:DO NOT STORE NEAR FIRE,HEAT OR OPEN FLAMES.

Spill Release Procedures: ABSORB SPILLS W/ABSORBENT CLAY, DIATOMATEOUS EARTH. A FIRE OR VAP HAZ MAY EXIST SINCE THESE MATERIALS WILL ONLY ABSORB LIQUID, NOT VAPOR

Handling and Storage Precautions: KEEP AWAY FR PILOT LGHTS, WELDING EQUIPMT, ELECTRICAL SWITCHES. FIRE HAZARD IS GREATER AS LIQUID TEMPERATURE RISES ABOVE 85F.

Other Precautions:HARMFUL OR FATAL IF SWALLOWED, KEEP OUT OF REACH OF CHILDREN.

====== Exposure Controls/Personal Protection ======

======

Respiratory Protection:WR APPRVD ORGANIC VAP CARTRIDG RESPIRAT UNLS VENT IS ADEQ. Ventilation:MECH-RECOMMENDED Protective Gloves:RUBBER Eye Protection:SAFETY GOGGLES Other Protective Equipment:IMPERVIOUS PROTECTVE CLOTHING. Supplemental Safety and Health SPEC.FIRE FIGHT PROCED:BREATHING APPARATUS.EFFECTS OF OVEREXPOS:LIQUID WHICH CAN CAUSE PNEUMONTITIS.

HCC:F4 Boiling Pt:B.P. Text:314-387F Vapor Pres:5MM Vapo r Density:4.9 Spec Gravity:.79 Evaporation Rate & amp; Reference:BU AC 0.13 Solubility in Water:INSOLUBLE Appearance and Odor:COLORLESS LIQUID Percent Volatiles by Volume:99.+

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING MATERIALS Hazardous Decomposition Products:NORMAL COMBUSTION FORMS CO*2 & WATER VAP,INCOMP COMBUS-CO

Waste Disposal Metho ds:PLACE CONTAMINATED MATERIAL IN DISPOSABLE CONTAINERS & BURY IN APPRVD DUMPING AREA.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.