

MARSH CO -- MARSH K-TYPE STENCIL INK, WHITE, 014514 -- 7510-00-161-0815

=====
Product Identification
=====

Product ID:MARSH K-TYPE STENCIL INK, WHITE, 014514

MSDS Date:08/12/1992

FSC:7510

NIIN:00-161-0815

MSDS Number: BDDJT

=== Responsible Party ===

Company Name:MARSH CO

Address:707-EAST B STREET

Box:388

City:BELLEVILLE

State:IL

ZIP:62222

Country:US

Info Phone Num:618-234-1122 OR 800-527-1351

Eme

rgency Phone Num:618-234-1122

CAGE:GO822

=== Contractor Identification ===

Company Name:MARSH CO

Address:707-EAST B STREET

Box:388

City:BELLEVILLE

State:IL

ZIP:62222

Country:US

Phone:618-234-1122

CAGE:GO822

Company Name:MARSH STENCIL MACHINE CO

Address:707-EAST B STREET

Box:388

City:BELLEVILLE

State:IL

ZIP:62222

Country:US

Phone:618-234-1122

CAGE:38512

=====
Composition/Information on Ingredients
=====

Ingred Name:STODDARD SOLVENT; (MINERAL SPIRITS)

CAS:8052-41-3

RTECS #:WJ89

25000
Fraction by Wt: 10-30%
OSHA PEL:100 PPM
ACGIH TLV:100 PPM

Ingred Name:KEROSENE (FUEL OIL #1)
CAS:8008-20-6
RTECS #:OA5504000
Fraction by Wt: 15-40%

Ingred Name:VOLATILE ORGANIC COMPOUNDS: 505-545 G/L
RTECS #:9999999VO

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE:MODER
ATELY TOXIC BY INGESTION
AND OTHER ROUTES. IRRITANT TO SKIN, MUCOUS MEMBRANE AND A SEVERE
EYE IRRITANT. NARCOTIC IN HIGH CONCENTRATIONS. CHRONIC OVEREXPOSURE
CAN CAUSE KIDNEY DAMAGE.
Explanation of Carcinogenicity:NOT RELEVANT.
Effects of Overexposure:SEE HEALTH HAZARDS.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:EYE:FLUSH W/WATER 15 MINUTES AND SEEK MEDICAL ATTENTION.
SKIN:W
ASH SKIN WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING.
INHAL:REMOVE TO FRESH AIR, IF DISCOMFORT PERSISTS, SEEK MEDICAL
ATTENTION. IN GEST:DO NOT INDUCE VOMITING, CALL PHYSICIAN
IMMEDIATELY.

===== Fire Fighting Measures =====

Flash Point:110F,43C
Extinguishing Media:CO*2, CARBON DIOXIDE, DRY CHEMICAL OR ALCOHOL FOAM.
Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE
EQUIPMENT .
Unusual Fire/Explosion Hazard:NONE.

=====

===== Accidental Release Measures =====

Spill Release Procedures: ISOLATE SPILL FROM SOURCES OF IGNITION.
CONTAIN SPILL USING SUITABLE ABSORBENT - CONTAINERIZE IN AN
APPROVED DOT CONTAINER FOR PROPER DISPOSAL.
Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions: MATERIAL IS CLASSIFIED AS COMBUSTIBLE
- KEEP AWAY FROM HEAT & OPEN FLAME. HAZ PROD RESIDUE MAY REMAI
N
AFTER PROD HAS BEEN REMOVED FROM ITS CONTAINER.
Other Precautions: DO NOT REUSE "EMPTY" CONTAINER W/O COMMERCIAL
CLEANING OR RECONDITIONING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: NIOSH/MSHA APPROVED RESPIRATOR WHEN AIRBORNE
LEVELS MAY EXCEED PEL.
Ventilation: LOCAL EXHAUST: PREFERABLE. GENERAL EXHAUST: ACCEPTABLE.
Protective Gloves: CHEMICAL RESISTANT.
Eye Protection: SAFETY GOGGLES.
Other Protective Equipment: AS NECESSARY TO AVOID P
ROLONGED CONTACT.
EMERGENCY EYE WASH & DELUGE SHOWER .
Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.
Supplemental Safety and Health
SPEC GRAV: 1.02-1.34 (H*20=1).

===== Physical/Chemical Properties =====

Boiling Pt: B.P. Text: >248F, >120C
Vapor Pres: 1
Spec Gravity: SUPDAT
Evaporation Rate & Reference: