View NSN Online: https://aerobasegroup.com/nsn/5910-00-161-0963

CORNELL DUBLILIER ELEC. DIV. OF FED. PAC. ELEC. CO -- DYR6025 -- 5910-00-161-0963

============ Product Identification ==============

Product ID:DYR6025 MSDS Date:01/01/1985

FSC:5910

NIIN:00-161-0963

MSDS Number: BDDJY === Responsible Party ===

Company Name: CORNELL DUBLILIER ELEC. DIV. OF FED. PAC. ELEC. CO

Address: ONE INTERCHANGE PLZ

City:WAYNE State:NJ ZIP:07470 Country:US

Emergency Phone Num:201-694-8600

CAGE: KO364

=== Contractor Identification ===

Company Name: CORNELL DUBLILIER ELEC. DIV. OF FED. PAC. ELEC. CO

Address: ONE INTERCHANGE PLZ

Box:City:WAYNE

State:NJ ZIP:07470 Country:US CAGE:KO364

Company Name: CORNELL-DUBILIER ELECTRONICS

Address: ONE INTERCHANGE PLZ

Box:City:WAYNE

State:NJ ZIP:07470 Country:US

Phone:201-694-8600

CAGE:14655

======= Composition/Information on Ingredients ========

Ingred Name: POLYCHLORINATED BIPHENYLS (PCBS) (SARA III)

CAS:1336-36-3

RTECS #:TQ1350000

**EPA Rpt** 

Qty:1 LB DOT Rpt Qty:1 LB
=========== Hazards Identification =============
Effects of Overexposure:ABSORBED THRU SKIN,LUNGS,INTESTINE.CAUSES CANCER,LIVER,KIDNEY,STOMACH,EYE,HEARING DISORDER(SUP DATA)
======================================
First Aid:EYES:FLUSH W/WATER IMMED.SKIN:WASH W/SOAP IMMED.INHAL:REMOVE TO FRESH AIR,GIVE ART.RESPIR. AS NEEDED.INGEST:GET MEDICAL ATTN.GIVE LARGE QTY OF SALT WATER,INDUCE VOMITING,BUT DO NOT MAK
E UNCONSCIOUS PE RSON VOMIT.
========= Accidental Release Measures ===========
Spill Release Procedures:USE ABSORBENT & DIKES TO PREVENT RUNOFF.ISOLATE & NOTIFY PROPER AUTHORITIES.
============ Handling and Storage ===============
Handling and Storage Precautions:STORAGE MUST FOLLOW RCRA REQUIREMENTS.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:SUPPLIED AIR W/FULL FACEPIECE,HELMET OR HOOD Ventilation :LOCAL EXHAUST Protective Gloves:RUBBER-IMPERV Eye Protection:GOGGLES,FACE SHIELD Other Protective Equipment:FULL CLOTHING TO PREVENT SKIN CONTACT Supplemental Safety and Health OVEREXPOS:CAN CAUSE FORMATION OF CYSTS.CAUSES STILLBIRHTS.IRRITATES EYES,NOSE THROAT.
========= Physical/Chemical Properties ===========
HCC:Z3 Appearance and Odor:LIGHT STRAW COLORED-LIQUID,AROMATIC ODOR.
========= Stability and Reactivity Data ==========
STRONG OXIDIZERS
====

======= Disposal Considerations ===========

Waste Disposal Methods:CONTROLLED DISPOSAL REQUIRED-GENERALLY HIGH TEMPERATURE INCINERATION.ONLY APPROVED DISPOSAL OPERATOR PERMITTED.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all li

ability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.