View NSN Online: https://aerobasegroup.com/nsn/8010-00-161-7425

## PRATT & LAMBERT - WICHITA DIVISION -- 725-402 -- 8010-00-161-7425

Product ID:725-402 MSDS Date:01/01/1985

FSC:8010

NIIN:00-161-7425

MSDS Number: BDDPD === Responsible Party ===

Company Name: PRATT & LAMBERT - WICHITA DIVISION

Emergency Phone Num:316-733-1361

**CAGE:PRATT** 

=== Contractor Identification ===
Company Name:PRATT & LAMBERT

Address:250 PETTIT AVE

Box:2153

City:BELLMORE

State:NY ZIP:11710 Country:US

Phone:800-647-2253

**CAGE:PRATT** 

Company Name: PRATT AND LAMBERT INC

Address:945 BURLINGTON

Box:206

City: KANSAS CITY

State:MO ZIP:64141 Country:US CAGE:92216

======= Composition/Information on Ingredients ========

Ingred Name: NAPHTHA (PETROLEUM SPIRITS OR BENZIN)

CAS:8030-30-6

RTECS #:SE7555000 Fraction by Wt: 35.0% OSHA PEL:100 PPM

Ingred Name:LEAD (SARA III)

CAS:7439-92-1

RTECS #:OF7525000 Fraction by Wt: O.11%

OSHA PEL:0.05 MG/M3;1910.1

025 ACGIH TLV:0.15 MG/M3;DUST 9192 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB Ingred Name:ZINC CHROMATE Fraction by Wt: < 5% Ingred Name:TRIETHYLAMINE (SARA III) CAS:121-44-8 RTECS #:YE0175000 Fraction by Wt: 0.4% OSHA PEL:25 PPM/15 STEL ACGIH TLV:10 PPM/15 STEL; 9293 EPA Rpt Qtv:5000 LBS DOT Rpt Qty:5000 LBS =========== Hazards Identification ========================== Effects of Overexposure: INHALED-ANESTHETIC, IRITATE AIRWAY; SKIN/EYE IRRITATION HEADACHE, DIZZINESS, COMA, CONFUSION First Aid:INCASE OF CONTACT, FLUSH SKIN AND EYES WITH PLENTY OF WATER WHILE REMOVING CONTAMINATED CLOTHING. IF INHALED, REMOVE TO FRESH AIR. CALL A PHYSICIAN IF SYMPTONS PERSIST. PERFORM ARTIFICIAL RESPIRATION IF BREATHING HAS STOPPED. ============ Fire Fighting Measures ========================= Flash Point:104 F, 40 C TCC Lower Limits:1.1 Extinguishing Media: CARBON DIOXIDE/DRY CHEMICAL-SMALL; POLYMER

OAM-LARGE FIRE

Fire Fighting Procedures: SELF-CONTAINED BREATHING APPARATUS AVAILABLE FOR FIREMEN

Unusual Fire/Explosion Hazard:PRESSURE BUILD-UP FROM EXTREME HEAT MAY CAUSE EXPLOSION. USE WATER TO COOL CANS. FOR FIRE:FOGNOZZLES

======== Accidental Release Measures =============

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION (FLAMES, HOT SURFACES, & ELECTRICAL, OR FRICTIONAL SPARKS). AVOID BREATHING VAPORS. VENTILATE AREA. REMOVE WITH INERT ABSORBENT AN

D NON-SPARKING TOOLS.
======================================
Handling and Storage Precautions:DO NOT STORE ABOVE 120F. STORE LARGE QUANTITIES IN BUILDINGS DESIGNED AND PROTECTED FOR STORAGE OF NFPA CLASSONE FLAMMABLE (OR COMBUSTIBLE) LIQUID.  Other Precautions:DO NOT TAKE INTERNALLY,CONTAINERS SHOULD BE GROUNDED WHEN POURING,AVOID FREE FALL IN EXCESS OF A FEW INCHES,DO NOT FLAME CUT,BRAZE, OR WELD COATED MATERIAL WITHOUT VENTILATION.
======================================
Respiratory Protection:APPROVED BUREAU OF MINES RESPIRATORS W/ PROPER FILTER OR HOOD  Ventilation:GENERAL DILUTION/LOCAL EXHAUST FOR TLV&LEL SAFETY& WELDING Protective Gloves:ALOT OF CONTACT  Eye Protection:USE EYEWEARIF SPLASHING  Other Protective Equipment:PREVENT PROLONGED SKIN CONTACT TO CONTAMINATED CLOTHING.  Supplemental Safety and Health BOILING RANGE 155-189 C.
======================================
HCC:F4 Boiling Pt:B.P. Text:311-373 F Evaporation Rate & Dercent Volatiles by Volume:59.0
======== Stability and Reactivity Data =========
Otal III. In diagta /Matariala ta Assaid-VEO

Stability Indicator/Materials to Avoid:YES
Stability Condition to Avoid:FIRES, HEAT, & HOT SURFACES, SPARKS,
ELECTRICAL EQUIPMENT

======= Disposal Considerations ==========

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS. INCINERATE IN A

## PPROVED FACILITY. DO NOT INCINERATE CLOSED CONTAINERS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.