

H.R.SIMON & COMPANY,INC. -- CHEM BLEND AUTO FIXER S60042;PART I. -- 6750-00-162-3666

=====
Product Identification
=====

Product ID:CHEM BLEND AUTO FIXER S60042;PART I.

MSDS Date:01/01/1987

FSC:6750

NIIN:00-162-3666

Kit Part:Y

MSDS Number: BDDPT

=== Responsible Party ===

Company Name:H.R.SIMON & COMPANY,INC.

Address:3515 MARMENCO COURT

City:BALTIMORE

State:MD

ZIP:21230-3411

Country:US

Info Phone N

um:301-636-5555

Emergency Phone Num:301-636-5555

CAGE:KO369

=== Contractor Identification ===

Company Name:H.R.SIMON & COMPANY,INC.

Address:3515 MARMENCO COURT

City:BALTIMORE

State:MD

ZIP:21230-3411

Country:US

Phone:301-636-5555

CAGE:KO369

Company Name:SIMON H R CO,INC.

Address:3515 MARMENCO COURT

Box:City:BALTIMORE

State:MD

ZIP:21230-3411

Country:US

Phone:410-636-5555

CAGE:27912

=====
Composition/Information on Ingredients
=====

Ingred Name:ACETIC ACID (SARA III)

CAS:64-19-

7

RTECS #:AF1225000
Fraction by Wt: 5-10%
OSHA PEL:10 PPM
ACGIH TLV:10 PPM/15 STEL; 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:AMMONIUM THIOSULFATE
CAS:7783-18-8
RTECS #:XN6465000
Fraction by Wt: 40-50%

Ingred Name:SODIUM BISULFITE (SASA III)
CAS:7631-90-5
RTECS #:VZ2000000
Fraction by Wt: 1-5%
OSHA PEL:5 MG/M3
ACGIH TLV:5 MG/M3; 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES
Skin:YES Ingestion:YES
Health Hazards Acute and Chronic:ACUTE:CORROSIVE;MAY IRRITATE EYES,SKIN
AND G.I. OR RESPIRATORY TRACT. CHRONIC:NO DATA AVAILABLE.
Effects of Overexposure:SEE HEALTH HAZARDS DATA.
Medical Cond Aggravated by Exposure:NO DATA AVAILABLE

=====
First Aid Measures
=====

First Aid:SKIN & EYES: WASH THOROUGHLY WITH PLENTY OF WATER;CALL A
PHYSICIAN IF NECESSARY.

=====
Fire Fighting Measures
=====

Flash Point:NONE
Extinguishing Media:NONE NOTED:USE SUITABLE MEDIA FOR SURROUNDING
FIRES.
Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA IN AN ENCLOSED
AREA.
Unusual Fire/Explosion Hazard:POSSIBILITY OF HAZARDOUS BY-PRODUCTS
BECAUSE OF THERMAL DECOMPOSITION

=====
Accidental Release Measures
=====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;DILUTE WITH
PLENTY OF WATER AND RECOVER PROPER DISPOSAL;SODA ASH CAN BE USED/AS
NEUTRALIZ

ING AGENT.

Neutralizing Agent:SODA ASH

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE BETWEEN 40F-90F.DO NOT INGEST.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR FOR ORGANIC ACID VAPOR/MIST IF ABOVE TLV/PEL

Ventilation:LOCAL/GENERAL TO MAINTAIN TLV/PEL

Protective Gloves:IMPERVIOUS

Eye Protection:CHEMICAL GOGGLES

Other Protective Equipment:FULL SKIN/
EYES PROTECTION;EYE WASH & SAFETY
SHOWER.

Work Hygienic Practices:AVOID CONTACT WITH SKIN AND EYES.DO NOT BREATHE VAPORS/MIST OR DO NOT INGEST.

Supplemental Safety and Health

MSDS RECEIVED ON MAY 24,1988.KEY1:N1.

=====
Physical/Chemical Properties
=====

HCC:N1

Boiling Pt:B.P. Text:>212F/100C

Vapor Pres:18 MMHG

Vapor Density:0.6

Spec Gravity:1.33

pH:15.0

Solubility in Water:COMPLETE

Appearance and Odor:COLORLESS-AMMONIA ODOR

=====
Stability and
Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES
STRONG ALKALIS

Stability Condition to Avoid:EXTREME HEAT

Hazardous Decomposition Products:FREE AMMONIA

=====
Disposal Considerations
=====

Waste Disposal Methods:DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH LOCAL,STATE AND FEDERAL REGS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Departmen

t

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.