

CROWN INDUSTRIAL PRODUCTS CO. -- SPECIAL MOLY OIL #7260 -- 9150-00-163-9036

=====
Product Identification
=====

Product ID:SPECIAL MOLY OIL #7260

MSDS Date:06/15/1987

FSC:9150

NIIN:00-163-9036

MSDS Number: BDDRP

=== Responsible Party ===

Company Name:CROWN INDUSTRIAL PRODUCTS CO.

Address:STATE LINE ROAD

City:HEBRON

State:IL

ZIP:60034

Country:US

Info Phone Num:815-648-2424

Emergency Phone Num:815-3

38-2141

Preparer's Name:ROBERT E. BAYTON

CAGE:92381

=== Contractor Identification ===

Company Name:CROWN INDUSTRIAL PRODUCTS CO

Address:HWY 47 N

Box:350

City:HEBRON

State:IL

ZIP:60034

Country:US

Phone:815-648-2424

CAGE:92381

=====
Composition/Information on Ingredients
=====

Ingred Name:TRICHLOROFLUOROMETHANE (CFC-11) (SARA III)

CAS:75-69-4

RTECS #:PB6125000

Fraction by Wt: 31-50%

OSHA PEL:1000 PPM

ACGIH TLV:C, 1000 PPM; 9293

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ozone

Depleting Chemical:1

Ingred Name:SOLID PIGMENT

Fraction by Wt: 1-10%

OSHA PEL:10 MG/CUM (DUST)

ACGIH TLV:10 MG/CUM (DUST)

Ingred Name:DICHLORODIFLUOROMETHANE (SARA III)

CAS:75-71-8

RTECS #:PA8200000

Fraction by Wt: 31-50%

OSHA PEL:1000 PPM

ACGIH TLV:1000 PPM; 9192

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ozone Depleting Chemical:1

Ingred Name:ISOBUTANE CAS#75-28-5 ,1-10 %

CAS:75-28-5

RTECS #:TZ4300000

Fraction by Wt: 5.5%

ACGIH TLV:1000PPM

Ingred Name:MOLYBDENUM DISULFIDE

CAS:1317-33-5

R

TECS #:QA4697000

OSHA PEL:10 MG/M3 TDUST (MO)

ACGIH TLV:10 MG/M3 (MO); 8990

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE:POSSIBLE IRRITATION OF SKIN,EYES
AND RESPIRATORY DIFFICULTY,LIGHT HEADEDNESS,GIDDINESS,SHORTNESS OF
BREATH,NAROSIS,CARDIAC IRREGULARITIES,DEFATTING OF SKIN IS
POSSIBLE. CHRONIC:KIDNEY AND LIVE

R DAMAGE POSSIBLE.

Explanation of Carcinogenicity:PER MSDS

Effects of Overexposure:SEE HEALTH HAZARDS DATA.

Medical Cond Aggravated by Exposure:NOT KNOWN.

=====
===== First Aid Measures =====

First Aid:EYES:IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER FOR ABOUT 15
MINUTES;CONSULT A PHYSICIAN. SKIN:WASH THOROUGHLY WITH PLENTY OF
WATER. INHALATION:REMOVE TO FRESH AIR,CPR OR OXYGEN SUPPLY,CALL A
PHYSICI AN. INGESTION:CONSULT A PHYSICIAN IMMEDIATELY.

===

===== **Fire Fighting Measures**=====

Flash Point:NONE

Extinguishing Media:NON FLAMMABLE;USE SUITABLE MEDIA FOR SURROUNDING FIRE.

Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA IN AN ENCLOSED AREA.

Unusual Fire/Explosion Hazard:NONE NOTED BY MFR.

===== **Accidental Release Measures**=====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION,VENTILATE THE AREA;REMOVE ALL SOURCES OF IGNITION;CLEAN UP WITH INERT MATERIAL FOR PROPER DISPOSAL.

===== **Handling and Storage**=====

Handling and Storage Precautions:DO NOT STORE IN DIRECT SUNLIGHT,NEAR OPEN FLAMES OR TEMP ABOVE 120F;DO NOT SMOKE IN WORK AREA.

Other Precautions:AVOID CONTACT WITH SKIN & EYES;DO NOT BEREATHE VAPORS/MIST.

===== **Exposure Controls/Personal Protection**=====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR FOR ORGANIC VAPORS/MIST IF ABOVE PEL/TLV.

Ventilation:LOCAL

EXHAUST/GENERAL TO MAINTAIN PEL/TLV.

Protective Gloves:NEOPRENE.

Eye Protection:SAFETY GLASSES.

Other Protective Equipment:PROTECTIVE CLOTHING,EYE-WASH FACILITIES.

Work Hygienic Practices:AVOID CONTACT WITH EYES AND SKIN;DO NOT BREATHE VAPORS,MIST.WASH THOROUGHLY WITH SOAP & WATER.

Supplemental Safety and Health

MSDS DATED DEC 10,1984

===== **Physical/Chemical Properties**=====

HCC:V2

Boiling Pt:B.P. Text:75F/23.9C

Vapor Pres:792 MMHG

Vapor Density:4.9

Spec Gravit

y:>1.0

Evaporation Rate & Reference: