

CORONADO PAINT COMPANY, INC. -- VARNISH, SPAR TT-V-121 -- 8010-00-165-4432
===== Product Identification =====

Product ID:VARNISH, SPAR TT-V-121
MSDS Date:01/01/1985
FSC:8010
NIIN:00-165-4432
MSDS Number: BDDTS
=== Responsible Party ===
Company Name:CORONADO PAINT COMPANY, INC.
Emergency Phone Num:904 428-6461
CAGE:33200
=== Contractor Identification ===
Company Name:CORONADO PAINT COMPANY, INC.
A
Address:308 OLD COUNTY ROAD
Box:City:EDGEWATER
State:FL
ZIP:32132-1812
Country:US
Phone:904-428-6461
CAGE:33200

===== Composition/Information on Ingredients =====

Ingred Name:AROMATIC & ALIPHATIC HYDROCARBON
RTECS #:ZE2190000
Fraction by Wt: 44.7%
ACGIH TLV:200 PPM

Ingred Name:POLYURETHANE & ALKYD RESIN
Fraction by Wt: 55.3%
ACGIH TLV:NO HAZARD

===== Hazards Identification =====

Effects of Overexposure:PRODUCES SEVERE EYE IRRITATION, DRYING
OF SKIN.
EXCESSIVE INHALATION CAUSES HEADACHE, DIZZINESS.

===== First Aid Measures =====

First Aid:EYES CONTACT-FLUSH WITH WATER. SKIN CONTACT-WASH WITH MILD
SOAP AND WATER AND APPLY SKIN CREAM. INHALATION-REMOVE TO FRESH AIR
AND CALL A PHYSICIAN, APPLY ARTIFICIAL RESPIRATION IF NECESSARY.

===== Fire Fighting Measures =====

Flash Point:92F SETA
Lower Limits:1.0
Upper Limits:7.0
Extinguishing Media:FOAM, CARBO

N DIOXIDE, DRY CHEMICAL.

Fire Fighting Procedures:TREAT AS CLASS B FIRE.

Unusual Fire/Explosion Hazard:VAPORS MAY FORM EXPLOSIVE MIXTURE WITH AIR.

===== Accidental Release Measures =====

Spill Release Procedures:WEAR A RESPIRATOR. FLUSH WITH WATER INTO RETAINING AREA OR CONTAINER. AVOID EXPOSURE TO SPARKS, FIRE, OR HOT METAL SURFACES.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM HEAT, SPARKS AND OPEN FLAME. USE WITH ADEQUATE VENTILATION. AVOID PROLONGED OR REPEATED CONTACT WITH SKIN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:SELF CONTAINED NIOSH APPROVED PROTECTION IF TLV IS EXCEEDED.

Ventilation:LOCAL EXHAUST

Protective Gloves:YES

Eye Protection:YES

Other Protective Equipment:EYE BATH AND SAFETY SHOWER.

Supplemental Safety and Health

308 OLD COUNTY ROAD, EDGEWATER, FLORIDA 32032

===== Physical/Chemical Properties =====

HCC:F3

Boiling Pt:B.P. Text:280

Vapor Pres:6

Vapor Density:3.7

Spec Gravity:0.92

Evaporation Rate & Reference:0.6

Solubility in Water:VERY SLIGHT

Appearance and Odor:CLEAR LIQUID, PETROLEUM DISTILLATE ODOR.

Percent Volatiles by Volume:52.9

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:HEAT, SPARKS, OPEN FLAMES OR FIRE.

Hazardous Decompos

ition Products:THERMAL DECOMPOSITION MAY YIELD CARBON MONOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:LAND FILL, INCINERATION UNDER SAFE AND SUPERVISED CONDITIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.