View NSN Online: https://aerobasegroup.com/nsn/9150-00-168-6889

DELTA PETROLEUM CO. INC. -- AVIATION OIL 22851 1080 LAD III -- 9150-00-168-6889

Product ID: AVIATION OIL 22851 1080 LAD III MSDS Date:11/01/1985 FSC:9150 NIIN:00-168-6889 **MSDS Number: BDFFL** === Responsible Party === Company Name: DELTA PETROLEUM CO. INC. Address:3011 LAUSAT ST. City:METAIRIE State:LA ZIP:70001 Info Phone Num:504-833-2861 Emergency Phone Num:504-83 3-2861 Preparer's Name: I.R.SWOAP CAGE:7A348 === Contractor Identification === Company Name: DELTA PETROLEUM CO., INC Address:10352 RIVER ROAD, Box:10397 City:ST. ROSE State:LA ZIP:70087 Country:US Phone:504-832-2732 **CAGE:7A348**

Ingred Name:MINERAL OIL Fraction by Wt: 90-95% ACGIH TLV:5 MG/CUM (MIST)

Ingred Name: ADDITIVE PACKAGE CONTAINING: SULFUR, NITROGEN Fraction by Wt: 5-10%

LD50 LC50 Mixture:>5G/KG (ORAL RAT); PRACTICALLY NON-TOXIC Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:MINIMALLY IRRITATING TO EYE, SKIN & RESPIRATORY TRACT (AS MIST) Explanation of Carcinogenicity:ONLY USED MOTOR OILS WERE SHOWN TO CAUSE SKIN CANCER WHEN TESTED ON MICE. Effects of Overexposure:IRRITATION TO EYES, SKIN OR MUCOUS MEMBRANES. Medical Cond Aggravated by Expo sure:SKIN DISORDERS
======================================
First Aid:EYES: FLUSH EYES WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. SKIN: WASH WITH SOAP & WATER. INHALATION: REMOVE FROM AREA OF MIST OR VAPOR. INGESTION: DO NO T INDUCE VOMITING.
======================================
Flash Point Method:COC Flash Point:440F,226.6C Extinguishing Media:USE WATER SPRAY, DRY CHEMICAL , FOAM, OR CARBON DIOXIDE Fire Fighting Procedures:WATER OR FOAM MAY CAUSE FROTHING. USE WATER TO COOL FIRE EXPOSED CONTAINERS. IF NOT IGNITED, USE WATER SPRAY TO DISPERSE THE VAPORS & PROVIDE PERSONNEL PROTECT. Unusual Fire/Explosion Hazard:NONE
======================================
Spill Release Procedures:CONTAIN SPILL IF POSSIBLE. WIPE UP OR ABSORB ON SUITABLE MATERIAL AND SHOVEL UP. Neutralizing Agent:NONE
======================================
 Handling and Storage Precautions: MAINTAIN MINIMUM FEASIBLE HANDLING TEMPERATURES. MINIMIZE EXPOSURE PERIODS TO HIGH TEMPERATURES. AVOID WATER CONTAMINATION. Other Precautions: IN CASE OF SKIN CONTACT, PROMPTLY WASH THOROUGHLY WITH SOAP AND WATER. LAUNDER OIL-SOILED CLOTHING BEFORE REUSE.
======================================
Respiratory Protection:NONE NORMALLY REQUIRED. Ventilation:NORMAL MECHANICAL (GENERAL)

Protective

Gloves:IMPERVIOUS RUBBER Eye Protection:CHEMICAL GOGGLES OR FACE SHIELD Other Protective Equipment:NONE Work Hygienic Practices:WASH EXPOSED SKIN AREAS SEVERAL TIMES DAILY WITH SOAP & WATER. LAUNDER SOILED CLOTHING AT LEAST WEEKLY. Supplemental Safety and Health NONE

HCC:V6 Spec Gravity:0.901 Solubility in Water:NEGLIGIBLE Appearance and Odor:CLEAR OIL, MILD PETROLEUM ODOR

========= Stability and Reactivity Dat

a ===============

Stability Indicator/Materials to Avoid:YES NONE SPECIFIED BY MANUFACTURER. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:TOXIC FUME EMITTED UPON COMBUSTION.

Waste Disposal Methods:RECYCLE OR INCINERATE IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL APPLICABLE REGULATIONS AND LAWS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.