

ESSEX CHEMICAL CORPORATION -- PRO-SEAL 727 TYPE 2 BASE -- 8030-00-174-2597

=====  
Product Identification  
=====

Product ID:PRO-SEAL 727 TYPE 2 BASE  
MSDS Date:01/01/1985  
FSC:8030  
NIIN:00-174-2597  
Kit Part:Y  
MSDS Number: BDFNF  
=== Responsible Party ===  
Company Name:ESSEX CHEMICAL CORPORATION  
Emergency Phone Num:213-537-7600  
CAGE:83527  
=== Contractor Identification ===  
Company Name:ESSEX CHEMICAL CORP  
PRO-SEAL DIV  
Address:19451 SUSANA RD  
Box:City:COMPTON  
State:CA  
ZIP:90221-5713  
Country:US  
Phone:310-537-7600  
CAGE:83527

=====  
Composition/Information on Ingredients  
=====

Ingred Name:TOLUENE (SARA III)  
CAS:108-88-3  
RTECS #:XS5250000  
Fraction by Wt: 2-5%  
OSHA PEL:200 PPM/150 STEL  
ACGIH TLV:50 PPM; 9293  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

=====  
Hazards Identification  
=====

Effects of Overexposure:INGESTION-NAUSEA, VOMITING AND HEADACHE

=====  
First Aid Measures  
=====

First Aid:CONSULT PHYSICIAN

=====  
Fire Fighting Measures  
=====

Flash Point:145F-63C  
Extinguishing Media:DRY CHEMICAL, FOAM, CO\*2, WATER

=====  
Accidental Release Measures  
=====

Spill Release Procedures:CLEAN UP WITH RAGS OR SWEEPING COMPOUND

=====  
Handling and Storage  
=====

Handling and Storage Precautions:AVOID CONTACT AND  
INGESTION STORE IN  
CLOSED CONTAINER BELOW 80F

=====  
Exposure Controls/Personal Protection  
=====

Ventilation:RECOMMEN LOCAL EXHAUST  
Protective Gloves:NEOPRENE  
Eye Protection:SAFETY GOGGLES  
Other Protective Equipment:COVERALLS, APRON  
Supplemental Safety and Health  
KEY1:F8.

=====  
Physical/Chemical Properties  
=====

HCC:V4  
Spec Gravity:2.2  
Appearance and Odor:WHITE PASTE-SLIGHT ODOR  
Percent Volatiles by Volume:6.0

=====  
Stability and  
Reactivity Data  
=====

Stability Indicator/Materials to Avoid:YES

=====  
Disposal Considerations  
=====

Waste Disposal Methods:IN ACCODANCE WITH FEDERA,STATE AND LOCAL  
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be acc

urate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.