

CASTOLEUM CORP -- TRIZOL T F -- 9150-00-175-9154

===== Product Identification =====

Product ID:TRIZOL T F
MSDS Date:04/18/1988
FSC:9150
NIIN:00-175-9154
MSDS Number: BDFTF
=== Responsible Party ===
Company Name:CASTOLEUM CORP
Address:31 FULLERTON AVE
Box:41
City:YONKERS
State:NY
ZIP:10710
Country:US
Info Phone Num:914-664-5877 FAX 914-664-9383
Emergency Phone Num:914-664-5877
CAGE:66662
=== Contr
actor Identification ===
Company Name:CASTOLEUM CORP THE
Address:240 E 7TH ST
Box:City:MOUNT VERNON
State:NY
ZIP:10550-4615
Country:US
Phone:914-664-5877
CAGE:66662

===== Composition/Information on Ingredients =====

Ingred Name:METHYL CHLOROFORM (1,1,1-TRICHLOROETHANE) (SARA III)
CAS:71-55-6
RTECS #:KJ2975000
Fraction by Wt: 82%
Other REC Limits:NONE SPECIFIED
OSHA PEL:350 PPM/450 STEL
ACGIH TLV:350 PPM/450STEL;9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS
Ozone Depleting Ch

emical:1

Ingred Name:ADDITIVES (NOT KNOWN)

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE:IRRITATION OF EYES,SKIN AND
RESPIRATORY TRACT;LIGHT HEADEDNESS,DIZZINESS,NAUSEA,HEADACHE,LOSS
OF CO-ORDINATION AND EQUILIBRIUM. CHRONIC:CNS EFFECTS,DERMATITIS.
Explanation of Carcinogenicity:PER MSDS DATA
Effects of Overexposure
:LIGHT HEADEDNESS,DIZZINESS,NAUSEA,HEADACHE,LOSS
CO-ORDINATION & EQUILIBRIUM.
Medical Cond Aggravated by Exposure:PRE-EXISTING CONDITIONS MAY BE
WORSEN.

===== First Aid Measures =====

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O*2 IF
NEED;EYES/SKIN:FLUSH W LG AMTS H*2O FOR 15 MIN;INGEST:RINSE MOUTH;
GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER
SYMPTOMS OF OVEREXPOSURE.

===== Fire Fighting Measures =====

Flash Point:NONE
Lower Limits:7.0
Upper Limits:15,0
Extinguishing Media:WATER,DRY CHEMICAL, CO*2.
Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA IN AN ENCLOSED
AREA.
Unusual Fire/Explosion Hazard:AT DECOMPOSITION WHEN HEATED,TOXIC GASES
LIKE HCL OR PHOSGENE ARE RELEASED

===== Accidental Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION:ELIMINATE ALL
IGNITION SOURCES.DIKE AND CONTAIN;USE ABSORBE

