View NSN Online: https://aerobasegroup.com/nsn/8040-00-180-6255 NATIONAL STARCH AND CHEMICAL CORP. -- BONDMASTER M777B -- 8040-00-180-6255 Product ID:BONDMASTER M777B MSDS Date:01/01/1987 FSC:8040 NIIN:00-180-6255 MSDS Number: BDGCD === Responsible Party === Company Name: NATIONAL STARCH AND CHEMICAL CORP. Emergency Phone Num:201-755-4100 CAGE:01666 === Contractor Identification === Company Name: NATIONAL STARCH AND CHEMICAL C ORP BONDMASTER DIV Address:225 BELLEVILLE AVE Box:City:BLOOMFIELD State:NJ ZIP:07003-3584 Country:US CAGE:01666 ======= Composition/Information on Ingredients ======== Ingred Name: SILICA, AMORPHOUS, DUST CAS:112945-52-5 RTECS #: VV7310000 Fraction by Wt: 7% OSHA PEL:6 MG/M3 ACGIH TLV:10 MG/M3; 8990 Ingred Name: POLYAMIDE RESIN-LOW AMINE CONTENT ========= Hazards Identification =============== Effects of Overexposure: SKIN: PRLNG/RPTD CONTACT CAUSES IRRITATION O DERMATITIS IN ALLERGIC PERSONS, EYE: IRRITANT. First Aid:SKIN:WASH WITH SOAP & WATER. EYE;FLUSH WITH COPIOUS AMOUNTS OF WATER FOR 15 MINUTES, CALL MD. CALL MD FOR ANY UNUSUAL EXPOSURE. Flash Point:500F:260C, OC Extinguishing Media:CO*2, FOAM, DRY CHEMICAL =========== Accidental Release Measures =============== Spill Release Procedur

es:MOP UP, FLUSH WITH WATER.
============= Handling and Storage ==============
Handling and Storage Precautions:STORE AT ROOM TEMPERATURE IN A DRY PLACE. REFER TO SPI BULLETIN ON HANDLING EPOXY COMPOUNDS FOR FURTHER INFO.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:MFR STATES NOT USUALLY REQUIRED. Ventilation:MECHANICAL & LOCAL EXHAUST RECOMMENDED TO KEEP BELOW TLV Protective Gloves:RECOMMENDED Eye Protection:SFTY GLAS S W/SIDE SHIELDS Supplemental Safety and Health SPECIFIC GRAVITY & FLASH POINT VALVES ARE APPROXIMATE. CONTAINER: 1
QUART. PART B OF A TWO PART KIT.KEY1:N1.
========= Physical/Chemical Properties ==========
HCC:V7 Spec Gravity:0.99 Solubility in Water:SLIGHT Appearance and Odor:YELLOW VISCOUS LIQUID, TYPICAL AMINE ODOR.
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES EPOXY RESINS & ACIDS. Conditions to Avoi d Polymerization:ACIDS & EPOXY RESINS.
====== Disposal Considerations ==========
Waste Disposal Methods:DISPOSE IAW FEDERAL, STATE & LOCAL CODES.
Disclaimer (provided with this information by the compiling agencies):

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any pers

on utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.