View NSN Online: https://aerobasegroup.com/nsn/8010-00-181-7568 TURCO PRODUCTS,INC. -- TURCO 6037 -- 8010-00-181-7568 ============= Product Identification ======================== Product ID:TURCO 6037 MSDS Date:01/01/1987 FSC:8010 NIIN:00-181-7568 MSDS Number: BDGKV === Responsible Party === Company Name: TURCO PRODUCTS, INC. Address:7300 BOLSA AVENUE City:WESTMINSTER State:CA ZIP:92684-3600 Info Phone Num:714-890-3600 Emergency Phone Num:614-387-6200 CAGE:D9808 === Contractor Identific ation === Company Name: TURCO PRODUCTS, INC. Address:7300 BOLSA AVE Box:6200 City:WESTMINSTER State:CA ZIP:92684-3600 Country:US Phone:614-387-6200 CAGE:0BYN5 Company Name: TURCO PRODUCTS, INC. Box:6200 City:PHILADELPHIA State:PA ZIP:19103 Country:US Phone:215-419-7890 CAGE:D9808 ======= Composition/Information on Ingredients ======== Ingred Name: NO INGREDIENT FOR THIS FORMULATION_INGREDIENT Reports of Carcinogeni

city:NTP:YES IARC:YES OSHA:NO Health Hazards Acute and Chronic:SEE SIGNS & SYMPTOMS OF OVEREXPOSURE. Explanation of Carcinogenicity:CHROMIUM VI IS HUMAN CARCINOGEN BY IARC,NTP.
Effects of Overexposure:SKIN:SEV BURNS,DEFATTNG;EYES:SEV DAMAGE,MAY CAUSE BLINDNESS;INH:DIZZ,HEADACHE,INTOXICATION. Medical Cond Aggravated by Exposure:PRE-EXISTING RESPIRATORY AILMENTS. SYMPTOMS MAY BE AGGRAVATED BY SMOKING.
======================================
First Aid :SKIN:WASH W SOAP & WATER,GET MED HELP IF IRRITN/BLISTERING OCCUR;EYES:FLUSH W LG VOL OF WATER;INHAL:REMOVE TO FRESH AIR.GIVE CPR/OXYGEN IF REQD;INGEST:DO NOT INDUCE VOMITING.DILUTE BY GIVING MILK/WATE R;GET MED ATTN FOR ANY PROB;TAKE TO HOSPIF NECESS
======================================
Flash Point:NONE TO BOIL Extinguishing Media:CO*2,FOAM,DRY CHEM Fire Fighting Procedures:USE SELF-CNTND BREATHING APPARATUS. Unusual Fire/Explosion Hazard:WILL EMIT TOXIC OXIDES OF CL.MODERATE FIRE HAZ WHEN EXPOSED TO HEAT/FLAME.CAN REACT W OXIDIZING MATL
======== Accidental Release Measures =========
Spill Release Procedures: VENTILATE AREA.STOP LEAK W/O RISK.DIKE/CONTAIN SPILLAGE.WIPE UP OR ABSORB SPILLAGE ONTO ABSORBENT MATERIAL.RECOVER IN DRUMS/CONTAINERS SUITABLE FOR SHIPMENT TO DISPOSAL AREA.
========== Handling and Storage =============
Handling and Storage Precautions:USE CARE IN OPENING DRUM S TO AVOID SPURTING OF CONTENTS.STORE/TRANSPORT IN CLOSED CONTAINER BETWEEN 32F-100F.KEEP AWAY FROM HEAT & FLAME. Other Precautions:VAPORS HEAVR THAN AIR & WILL TRAVL ALONG GRD TO COLLECT IN LOW AREAS SUCH AS SUMPS.PERSONNEL ENTERING THIS AREA SHOULD USE PROTEC EQUIP & BE OBSERVED WHILE IN THE AREA.AVOID CONTACT W SKIN/EYE
====== Exposure Controls/Personal Protection ========
Respiratory Protection:SELF-CNTND BRTHG APP,POS PRESSURE HOSE/AIR-LINE MASK,W FUL

L FACE PIE

Ventilation: LOCAL EXHAUST TO MINIMIZE VAPOR CONCENTRATION.

Protective Gloves: NEOPRENE

Eye Protection: CUP TYPE RUBBER FRAMD GOG

Other Protective Equipment: SOLVENT RESISTANT BOOTS & APRON(NEOPRENE)

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.REMOVE & LAUNDER CONTAMINATED CLOTHING.REMOVE & DISCARD CONTAMINATED SHOES.

Supplemental Safety and Health

MFGR 8/3L/82 ADVISED THAT P/N 6037 & 5469 ARE SAME;P/N 6037 CONFORMS MIL-R-81294B;TYPE I,AM 1.(REV B OF MIL-R-81294 AM 1 IS

EFFECTIVE AS

OF 27 SEP 1978) ISEE P/N IND "B"DATA FOR TURCO P/N 5469.

======== Physical/Chemical Properties ==========

HCC:C2

Boiling Pt:=40.6C, 105.F

Vapor Pres:20. Vapor Density:>1.0 Spec Gravity:1.124

Evaporation Rate & Dry Reference: