View NSN Online: https://aerobasegroup.com/nsn/6850-00-181-7594

B & B TRITECH INC. -- B&B 3100 -- 6850-00-181-7594

Product ID:B&B 3100 MSDS Date:09/01/1989

FSC:6850

NIIN:00-181-7594

MSDS Number: BDGLD === Responsible Party ===

Company Name:B & B TRITECH INC. Address:875 WEST 20TH STREET

City:HIALENA

State:FL

ZIP:33010-2310 Country:US

Info Phone Num:305-888-5247

Emergency Phone Num:305-888-5247

CAGE:EO562

=== Contractor Ident

ification ===

Company Name: B & B TRITECH INC

Address:875 W 20TH STREET

City:HIALEAH

State:FL

ZIP:33010-2310

Country:US

Phone:305-888-5247

CAGE:EO562

Company Name: B & B TRITECH, INC. Address: 875 WEST 20TH. STREET,

Box:City:HIALEAH

State:FL

ZIP:33010-2310

Country:US

Phone:305-888-5247

CAGE:21361

====== Composition/Information on Ingredients ========

Ingred Name:PETROLEUM SOLVENTS Other REC Limits:NONE SPECIFIED

Ingred Name: PROPRIETARY COMPONENTS (IDENTITIES ARE WITHHELD AS A TRADE

SECRET AS PER 29 CFR 1910.1200(I) Other REC Limits:NONE SPECIFIED OSHA PEL:25 PPM, C ACGIH TLV:25 PPM, C

========== Hazards Identification ================

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: OVEREXPOSURE MAY LEAD TO CENTRAL NERVOUS SYSTEM DEPRESSION, LEADING TO IRRITATION, HEADACHE, NAUSEA, DIZZINESS, FATIGUE, CONFUSION AND UNCONSCIOUSNESS. EYE: MAY

LEAD TO IRRITATION. SKIN: MAY LE AD TO DERMATITIS. INGESTION: MAY LEAD TO VOMITING. CHRONIC: REPEATED AND PROLONGED SKIN CONTACT MAY CAUSE DERMATITIS.

Explanation of Carcinogenicity: THE COMPONENTS OF THIS PRODUCT HAVE NOT SHOWN ANY EVIDENCE OF BEING CARCINOGENIC.

Effects of Overexposure:OVEREXPOSURE MAY LEAD TO RESPIRATORY IRRITATION, NAUSEA, FATIGUE, DIZZINESS, HEADACHES, UNCONSCIOUSNESS, DERMATITIS AND EYE IRRITATION.

Medical Cond Aggravated by Exposure:PERSONS WITH A SK IN DISORDER SHOULD USE CAUTION WHEN HANDLING OR USING THIS PRODUCT.

First Aid:SKIN: REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. INHALATION: REMOVE TO FRESH AIR & RESTORE BREATHING IF NECESSARY. GET MEDICAL ATTENTION. EYE: IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. INGESTION: GET IMMEDIATE MEDI

CAL ATTENTION. DO NOT INDUCE VOMITING. NOTHING BY MOUTH IF UNCONSCIOUS.

============ Fire Fighting Measures =========================

Flash Point Method:TCC Flash Point:150F,66C

Extinguishing Media: USE CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures: WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard: COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

=====

======= Accidental Release Measures =========
Spill Release Procedures:MINOR: ABSORB MATERIAL WITH CLAY, VERMICULITE, OR SIMILAR ABSORBENT MATERIAL. PLACE IN DISPOSAL CONTAINERS. MAJOR: DIKE & CONTAIN SPILL. ELIMINATE SOURCES OF IGNITION. SHUT OFF LEAKS. REMOVE LIQUID BY VACUUM OR ABSORBENT.
========== Handling and Storage ============
Handling and Storage Precautions:AVOID EXTREME TEMPERATURES. AVOID CONTACT WITH SKIN, EYES AND CLOTHIN  G. USE WITH ADEQUATE VENTILATION. DO NOT OVER ATOMIZE SPRAY.  Other Precautions:THE SELECTION OF PERSONAL PROTECTIVE EQUIPMENT SHOULD BE MADE BY THE MATERIAL USER BASED ON THE PARTICULAR CONDITIONS WHERE THE MATERIAL IS TO BE USED TOGETHER WITH INFORMATION CONTAINED IN THIS MSDS.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR. AIR-SUPPLIED OR FILTERING TYPE WITH ORGANIC VAPOR CARTRIDGES ARE RECOMM ENDED.  Ventilation:LOCAL AND MECHANICAL EXHAUST RECOMMENDED. DIRECT VENTILATION AWAY FROM PERSONNEL. DO NOT OVER ATOMIZE SPRAY.  Protective Gloves:NEOPRENE, NITRILE, OR POLYVINYL ALCOHOL Eye Protection:USE CHEMICAL SAFETY GOGGLES  Other Protective Equipment:EYE WASH STATION & SAFETY SHOWER.  Work Hygienic Practices:WASH SKIN AFTER USING PRODUCT. DO NOT EAT, DRINK OR SMOKE IN WORK AREA. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.  Supplemental Safety and Health NONE
============== P
hysical/Chemical Properties =========
HCC:V4 Boiling Pt:B.P. Text:170F,77C Spec Gravity:0.95 Evaporation Rate & Description of the Computer Science of the Computer
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS, STRONG ACIDS, AND STRONG ALKALIES. Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE AND

Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE AND OTHER HYDROCARB

$\triangle NI$	COMDOI	INIDO	DURING	COMPI	ICTION
()	ししいロビい	בי ועונ	DURING	COMBL	121101

====== Disposal Considerations ==========

Waste Disposal Methods:WASTE MAY BE BURNED IN AN APPROVED INCINERATOR OR DISPOSED OF IN ACCORDANCE WITH ALL APPLICABLE LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or

implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.