View NSN Online: https://aerobasegroup.com/nsn/8040-00-181-7761

3M CO.(SUPPLIER:CHEMICAL COMMODITIES AGENCY) -- 3M BRAND SPRAY ADHESIVE 74 -- 8040-00-181-7761

============= Product Identification ========================

Product ID:3M BRAND SPRAY ADHESIVE 74

MSDS Date:01/01/1987

FSC:8040

NIIN:00-181-7761

MSDS Number: BDGMN === Responsible Party ===

Company Name: 3M CO. (SUPPLIER: CHEMICAL COMMODITIES AGENCY)

Address:3M CENTER

City:ST. PAUL

State:MN

ZIP:55144-1000

Country:US

Info Phone Num

:612-733-1110

Emergency Phone Num:612-733-1110

CAGE:76381

=== Contractor Identification ===

Company Name: 3M MINNESOTA MINING AND MFG CO ADHESIVES SEALERS DIV

Address:3M CTR Box:City:SAINT PAUL

State:MN

ZIP:55144-1000

Country:US

Phone:800-364-3577/651-737-6501(24 HOURS)

CAGE:04963

Company Name: MINNESOTA MINING AND MFG CO, DBA 3M

Address:3M CENTER BLDG 224-5S-04

Box:City:SAINT PAUL

State:MN

ZIP:55144-1000

Country:US

Phone:866-556 5712 / 612-733-1110

CAGE:76381

====== Composition/Informat

| ion on Ingredients ========= |
|--|
| Ingred Name:METHYLENE CHLORIDE (SARA III) CAS:75-09-2 RTECS #:PA8050000 Fraction by Wt: 48% OSHA PEL:500 PPM/C,1000; Z2 ACGIH TLV:50 PPM, A2; 9192 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS |
| Ingred Name:ISOPARAFFIN HYDROCARBON Fraction by Wt: 2% ACGIH TLV:4000PPM |
| Ingred Name:PROPELLENT-PROPANE/ISOBUTANE Fraction by Wt: 40% |
| Ingred Name:OTHER INGRED:THERMOPLASTIC TERPENE RESIN,STYRENE/BUTADIENE,COPOLYMER,ANTIOXIDANT,UV ABSOR RTECS #:9999992Z |
| Ingred Name:,S ILANE & DYE. RTECS #:999999ZZ |
| ====================================== |
| Effects of Overexposure:MODERATELY IRRITATING TO EYE/SKIN;VAPOR IRRITATING TO RESPIRATORY SYSTEM;INGEST:LIQ NON TOXIC ORALLY |
| ====================================== |
| First Aid:USE STANDARD FIRST AIR PROCEDURES. CALL EMERGENCY MEDICAL CARE. |
| ====================================== |
| Extinguishing Media:CO*2, FOAM, DRY CHEM. Fire Fi |
| |

| ghting Procedures:TREAT AS PRESSURIZED CONTAINER. |
|---|
| ====================================== |
| Spill Release Procedures:SUPPLIER DID NOT SPECIFY. |
| ====================================== |
| Handling and Storage Precautions:NONE |
| ====== Exposure Controls/Personal Protection ======== |
| Respiratory Protection:NONE Ventilation:NONE Protective Gloves:NONE Eye Protection:AS REQUIRED Other Protective Equipment:NONE Supplemental Safety and Health MSDS DATED 9-22-86. THE MATERIAL & MSDS ARE SUPPLIED BY CHEMICAL COMMONDITIES(FSCM:60777),W/CONTRACT NO:OM/S-W-YV584-1,AND THE MSDS LIST 3M CO AS THE MFG. =================================== |
| |
| HCC:V3 Vapor Density:2.93 |
| Spec Gravity:1 Evaporation Rate & Reference:0.8,ETHER=1. Solubility in Water:NIL |
| Appearance and Odor:THIN LIQUID IN AEROSOL,LIGHT ORANGE COLOR. Percent Volatiles by Volume:90 |
| ========= Stability and Reactivity Data === |
| Stability Indicator/Materials to Avoid:YES NONE Stability Condition to Avoid:NONE Hazardous Decomposition Products:HCE VAPOR OR OTHER CHLORINATED PRODUCT. =================================== |
| Waste Disposal Methods:INCINERATE PROPERLY IN ACCORDANCE W/LOCAL |
| REGULATIONS AS THE PRODUCT CONTAINS HALOGEN, DO NOT PUNCTURE OR |

INCINERATE IN HOUSEHOLD INCINERATOR. COMPLETLY EMPTY CONTAINERS MAY BE DISPOSED OF IN A SANITARY LANDFILL BY LOCAL

REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their part icular situation.