

WITCO CHEMICAL CO; GOLDEN BEAR OIL CO DIV. -- MIL-L-9000G LUBRICATING OIL --
9150-00-181-8097

=====
Product Identification
=====

Product ID:MIL-L-9000G LUBRICATING OIL

MSDS Date:09/09/1987

FSC:9150

NIIN:00-181-8097

MSDS Number: BDGPL

=== Responsible Party ===

Company Name:WITCO CHEMICAL CO; GOLDEN BEAR OIL CO DIV.

Box:5446

City:OILDALE

State:CA

ZIP:93388-5446

Country:US

Emergency Phone Num:805-39

3-7110

Preparer's Name:J.T.COOK

CAGE:1F469

=== Contractor Identification ===

Company Name:WITCO CHEMICAL CORP GOLDEN BEAR OIL CO DIVISION

Address:MANOR & NORRIS ROADS

Box:5446

City:OILDALE

State:CA

ZIP:93388-5446

Country:US

Phone:805-393-7110/800-424-9300(CHEMTREC)

CAGE:1F469

=====
Composition/Information on Ingredients
=====

Ingred Name:PETROLEUM HYDROCARBONS,

Fraction by Wt: 100%

ACGIH TLV:5 MG/CUM (MIST)

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Health Hazards Acute and Chronic:CHRONIC:PROLONGED OR REPEATED SKIN CONTACT MAY CAUSE DERMATITIS(SKIN IRRITATION).

=====
===== First Aid Measures =====

First Aid:INHAL:RMV TO FRESH AIR. IF NOT BRTHNG GIVE CPR; IF BRTHNG DIFF GIVE OXYGEN. EYE:IMMED FLUSH W/PLENTY OF WATER. SKIN:WASH W/SOAP & WATER. RMV CONTAM CLTHG & SHOES. INGEST:DO NOT INDUCE VOMIT. NOTHG BY MOUTH IF UNCONSC. GET MEDICAL ATTN.

=====
===== Fire Fighting Measures =====

Flash Point:300F/149C COC
Extinguishing Media:DRY CHEM, CO*2, WATER SPRAY, FOAM
Fire Fighting Procedures:DO NOT USE WATER.
Unusual Fire/Explosion Hazard:DENSE SMOKE. WEAR SCBA WHEN FIREFIGHTING.

=====
===== Accidental Release Measures =====

Spill Release Procedures:STOP LEAK, CONFINE SPILL (DIKE). PUMP OR SHOVEL INTO CLOSABLE CONTAINERS. COLLECT TRACE REMAINDERW/ABSORBENT, PLACE IN CLOSABLE CONTAINERS.

=====
===== Handling and Storage =====

Handling and Storage Precautions:NONE GIVEN.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/OSHA APPROVED RESPIRATOR WITH ORGANIC VAPOR CARTRIDGE IF VAPOR CONCENTRATION EXCEEDS PEL.
Ventilation:LOCAL IF NECESSARY TO MAINTAIN ALLOWABLE PEL OR TLV.
Protective Gloves:OIL RESISTANT.
Eye Protection:CHEM SPLASH GOGGLES
Other Protective Equipment:NONE
Supplem

ental Safety and Health
ENTERED PER NON-OSHA HCS MSDS DTD 14DEC82.

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:550F/288C

Vapor Pres: