View NSN Online: https://aerobasegroup.com/nsn/9150-00-186-6668

BRAY OIL CO.INC. -- BRAYCO 421 MIL-L-2184C,OE/HDO-LO GRADE 10 -- 9150-00-186-6668

Product ID:BRAYCO 421 MIL-L-2184C,OE/HDO-LO GRADE 10 MSDS Date:01/01/1987 FSC:9150 NIIN:00-186-6668 MSDS Number: BDGZZ === Responsible Party === Company Name:BRAY OIL CO.INC. Emergency Phone Num:213-575-1212 CAGE:KO518 === Contractor Identification === Company Name:BRAY OIL CO.INC.

CAGE:KO518 Company Name:CASTROL INDUSTRIAL NORTH AMERICA INC SPECIALTY PRODUCTS DIV Address:1001 WEST 31ST STREET Box:City:DOWNERS GROVE State:IL ZIP:60515-1280 Country:US Phone:800-621-2661/ FAX: 630-241-4140 CAGE:2R128

Ingred Name: REFINED PETROLEUM LUBE OIL STOCK

Effects of Overexposure:NOT EXPECTED TO CAUSE ANY ILL EFFECT EXCEPT IN VERY SENSITI VE INDIV. MAY CAUSE EYE IRRIT.

First Aid:EYE: IMMED FLUSH W/WATER AT LEAST 15 MIN, CALL MD. SKIN: WASH THOROUGHLY W/MILD SOAP & WATER. INGEST: DO NOT INDUCE VOMIT, CALL MD.

Flash Point:400F COC Extinguishing Media:DRY CHEM, CO*2, FOAM, WATER FOG Fire Fighting Procedures:USE SELF-CNTND RESP EQUIP IN CONFINED AREA Unusual Fire/Explosion Hazard:DO NOT

USE WATER EXCEPT AS FOG, OR SPRAY TO COOL CNTNRS OR TANKS TO AVOID HEATING ABOVE FLASH PT.
======================================
Spill Release Procedures:STOP FLOW & SHUT OFF SOURCES OF IGNITION. WIPE OR MOP UP, OR ABSORB W/CLAY, DIATOMACEOUS EARTH, OR OTHER INERT MATL. STORE IN CLOSED METAL CNTNRS.
======================================
Handling and Storage Precautions:DO NOT STORE NEAR HEAT, OPEN FLAME, OR OTHER SO URCES OF IGNIT.
======================================
Respiratory Protection:NONE REQ EXCEPT IF OIL MIST EXCEEDS TLV. NIOSH/MSHA APPRVD IF NEC. Ventilation:LOCAL EXHST & MECH, ONLY IF OIL MIST EXCEEDS TLV Protective Gloves:PLASTIC/RUBBER Eye Protection:SAFETY GLASSES REC Supplemental Safety and Health MFR STATES PRODUCT IS NON-HAZARDOUS AS DEFINED BY U.S. DEPT. OF LABOR 29CFR,SECTION 1915.2.
======================================
HCC:V6 Boiling Pt:B.P. Text:>500F Spec Gravity:0.881 Solubility in Water:NEGLIGIBLE Appearance and Odor:DARK OILY LIQ, PETROLEUM ODOR
======================================
Stability Indicator/Materials to Avoid:YES AVOID STRONG OXIDIZING AGENTS Hazardous Decomposition Products:COMBUSTION MAY PROD CARBON MONOXIDE & ASPHYXIANTS
======================================
Waste Disposal Methods:CONTROLLED INCINERATION OR METHOD IAW

LOCAL, STATE, FED REG

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their

particular situation.