View NSN Online: https://aerobasegroup.com/nsn/9150-00-190-0932

OLIN CORPORATION -- BRAKE FLUID (BF-470) -- 9150-00-190-0932

Product ID:BRAKE FLUID (BF-470)

MSDS Date:11/05/1987

FSC:9150

NIIN:00-190-0932

MSDS Number: BDHVK === Responsible Party ===

Company Name: OLIN CORPORATION

Address:120 LONG RIDGE RD

City:STAMFORD

State:CT ZIP:06904 Country:US

Info Phone Num:203-356-3449

Emergency Phone Num:800-654-6911

Preparer's Name:OL

IN MSDS CONTROL GROUP

CAGE:0G578

=== Contractor Identification ===

Company Name: AMERICAN INK AND OIL CORP

Address:33 ENDICOTT STREET

Box:City:NORWOOD

State:MA

ZIP:02062-3006

Country:US

Phone:781-762-0026 / FAX: 781-762-1617

CAGE:82956

Company Name: OLIN CORP CHEMICALS GROUP

Address:120 LONG RIDGE RD

City:STAMFORD

State:CT ZIP:06904 Country:US

Phone:203-356-3449, CHEMTREC 800-242-9300

CAGE:53084

Company Name:OLIN CORPORATION Address:120 LONG RIDGE ROAD

City:STAMFORD

State:CT

ZIP:06904-1355

Country:


US Phone: 203-356-3449 CAGE:0G578 ====== Composition/Information on Ingredients ======== Ingred Name: GLYCOL ETHER Other REC Limits: NONE SPECIFIED Ingred Name:GLYCOL - TYPE NOT SPECIFIED Other REC Limits: NONE SPECIFIED =========== Hazards Identification ========================== LD50 LC50 Mixture:LD50 (ORAL RAT) IS >5 G/KG Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: MAY CAUS E SKIN, EYE AND MUCOUS MEMBRANE IRRITATION. Explanation of Carcinogenicity: NONE OF THE COMPOUNDS IN THIS PRODUCT IS LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN. Effects of Overexposure:SEE HEALTH HAZARDS. Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER. First Aid:INHALATION:REMOVE TO FRESH AIR. RESUSCITATE IF NOT BREATHING. GET MEDICAL ATTENTION. EYES: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINUTES HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER. IF IRRITATION PERSISTS, GET MEDICAL

ADVICE. INGESTION: IMMEDIATELY DRINK WATER TO DILUTE.

============= Fire Fighting Measures ========================

Flash Point:240F,116C

Extinguishing Media:WATER SPRAY, DRY CHEMICAL, ALCOHOL FOAM OR CO*2. Fire Fighting Procedures: WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONT



AINERS WITH WATER SPRAY. CONTAIN RUNOFF.

Melt/Freeze Pt:M.P/F.P Text: