View NSN Online: https://aerobasegroup.com/nsn/8030-00-195-7660

Product ID:SCOTCHCAL BRAND 4150 EDGE SEALER MSDS Date:01/01/1985 FSC:8030 NIIN:00-195-7660 MSDS Number: BDJBZ === Responsible Party === Company Name: MINNESOTA MINING & MFG CO CONSUMER SPECIALTIES DIV Address:3M CTR **City:SAINT PAUL** State:MN ZIP:55144-1000 Co untry:US Info Phone Num:612-733-5454 Emergency Phone Num:612-733-5454 CAGE:34360 === Contractor Identification === Company Name: MINNESOTA MINING AND MFG CO AUTOMOTIVE ENGINEERING SYS DIV Address:3M CTR Box:City:ST PAUL State:MN ZIP:55144-1000 Country:US Phone:612-737-4114 CAGE:34360 Ingred Name: TOLUENE (SARA III) CAS:108-88-3 RTECS #:XS5250000 Fraction by Wt: 35.0% OSHA PEL:200 PPM/150 STEL ACGIH TLV:50 PPM; 9293

EPA Rpt Qty

:1000 LBS DOT Rpt Qty:1000 LBS

| Ingred Name:2-ETHOXYETHYL ACETATE<br>RTECS #:KP6475000<br>Fraction by Wt: 35.0%<br>ACGIH TLV:100 PPM                           |
|--|
| ======================================   |
| Effects of Overexposure: IRRITATE EYES NOSE AND THROAT   |
| ======================================   |
| First Aid:FLUSH EYES WITH WATER WASH SKIN WITH SOAP AND WATER PROVIDE FRESH AIR CALL PHYSICIAN                                 |
| ======================================   |
| Flash Poin<br>t:74F,23C TCC<br>Extinguishing Media:CO2 FOAM DRY CHEMICALS  |
| ======================================   |
| Spill Release Procedures:EXTINGUISH IGNITION SOURCES OBSERVE FIRE<br>EXPLOSION AND HEALTH HAZARD DATA COLLECT SPILLED MATERIAL |
| ======================================   |
| Handling and Storage Precautions:KEEP AWAY FROM HEAT SPARKS AND FLAMES<br>USE ONLY IN VENTILATED AREAS AVOID BREATHING VAPORS  |
| ======================================   |
| Protective Gloves:RECOMMENDED<br>Eye Protection:RECOMMENDED<br>Supplemental Safety and Health                                  |
| ======================================   |
| HCC:F3<br>Spec Gravity:0.9600<br>Solubility in Water:NEGLIGIBLE<br>Appearance and Odor:CLEAR LIQUID SOLVENT ODOR               |
| ======================================   |
| Stability Indicator/Materials to Avoid:YES   |
| ======================================   |
| Waste Disposal Methods:INCINERAT   |

## E PROPERLY

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their partic

ular situation.