View NSN Online: https://aerobasegroup.com/nsn/8010-00-200-8810

## PRATT AND LAMBERT INC -- ENAMEL ALKYD GLOSS GRAY 16376 -- 8010-00-200-8810

Product ID:ENAMEL ALKYD GLOSS GRAY 16376

MSDS Date:01/01/1987

FSC:8010

NIIN:00-200-8810

MSDS Number: BDJGV === Responsible Party ===

Company Name: PRATT AND LAMBERT INC

Address:16116 E 13TH ST

Box:2153 City:WICHITA

State:KS ZIP:67201 Country:US

Info Phone Num:316-733-1361

**Emergency Phone N** 

um:716-873-6000 DOT EMER 8002553924

CAGE:61196

=== Contractor Identification ===

Company Name: PRATT AND LAMBERT INC

Box:6027

City:CLEVELAND

State:OH

ZIP:44101-1027

Country:US

Phone:216-566-2902

CAGE:61196

======= Composition/Information on Ingredients ========

Ingred Name: MINERAL SPIRITS

CAS:64475-85-0 RTECS #:PY8240000 ACGIH TLV:100PPM

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III)

CAS:1330-20-7

RTECS #:ZE2100000

OSHA PEL:100 PPM/150 STEL ACGIH TLV:100 PPM/150STEL;9192

**EPA Rp** 

t Qty:1000 LBS DOT Rpt Qty:1000 LBS Ingred Name:TITANIUM DIOXIDE CAS:13463-67-7 RTECS #:XR2275000 OSHA PEL:15 MG/M3 TDUST ACGIH TLV:10 MG/M3 TDUST; 9293 Ingred Name: IRON OXIDE CAS:1309-37-1 RTECS #:NO7400000 OSHA PEL:10 MG/M3 (FE) ACGIH TLV:5 MG/M3(FE),B2; 9293 Effects of Overexposure: PNEUMOCONIOSIS, PERMANENT NERVOUS SYSTEM DAMAGE, INTERNAL ORGAN DAMAGE. DELIBERATE INHALATION HARMFUL. ======= First Aid M easures ============ First Aid:INGESTION:GET IMMEDIATE MEDICAL ATTENTION.INHALATION:REMOVE TO FRESH AIR.RESTORE BREATHING.KEEP WARM AND QUIET.CONSULT PHYSICIAN.EYES:15 MINUTE WATER FLUSH.CONSULT PHYSICIAN.SKIN:REMOVE CONTAMINATED C LOTHING. WASH SKIN WITH SOAP AND WATER. Flash Point:80F,27C

Extinguishing Media: CARBON DIOXIDE, DRY CHEMICALS, ALCOHOL, POLYMER FOAMS.

Fire Fighting Procedures: SELF CONTAINED B

REATHING APPAR.WATER-FOG TO

COOL CONTAINERS.

Unusual Fire/Explosion Hazard: CONTAINER EXPLOSION HAZARD DUE TO EXTREME HEAT. EXPOSURE TO SOURCES OF IGNITION.

========= Accidental Release Measures =============

Spill Release Procedures:REMOVE SOURCES OF IGNITION.CONTAIN WITH INERT MATERIAL.TRANSFER TO COVERED METAL CONTAINERS.PREVENT ENTRY TO DRAINS,SEWERS AND GROUND WATER.WEAR RESPIRATORS,EYE,SKIN PROTECTION.REMOVE LIQUID WITH INER T ABSORBENT AND NON-SPARKING

| =========== Handling and Storage =============   |
|--|
| Handling and Storage Precautions:DO NOT STORE ABOVE 120F.STORE LARGE QUANTITIES IN COMPLIANCE WITH OSHA 29CFR1910.106.CLOSE CONTAINER AFTER USE.DO NOT BREATHE FUMES,SANDING PARTICLES.  Other Precautions:DO NOT WELD,CUT OR BRAZE EMPTY CONTAINER.DO NOT CLEAN AND RE-USE CONTAINER.DO NOT USE PRESSURE TO EMPTY CONTAINER.GROUND AND BOND CONTAINER TO RECEIVING VESSEL.  |
| ====== Exposure Controls/Person  |
| al Protection ========   |
| Ventilation:LOCAL VENTILATION/EXHAUST TO REMOVE DECOMPOSITION BYPRODUCTS Protective Gloves:SOLVENT RSIST. Eye Protection:FACE SHIELD;SHIELDED SPEC Supplemental Safety and Health  |
|  |
| ======================================   |
| HCC:F3 Boiling Pt:B.P. Text:193F,89C Vapor Density:>AIR Evaporation Rate & Description Ra |
| ========= Stability and Reactivity Data =========  |
| Stability Indicat or/Materials to Avoid:YES STRONG ACIDS,ALKALINES,OXIDIZERS. Stability Condition to Avoid:EXCESSIVE HEAT.SOURCES OF IGNITION. Hazardous Decomposition Products:CO,CO*2,SMOKE FROM IGNITION  |
| ======= Disposal Considerations ==========   |
| Waste Disposal Methods:DO NOT INCINERATE CLOSED CONTAINERS.DISPOSE OF IN ACCORDANCE WITH EPA,LOCAL,STATE AND FEDERAL REGULATIONS FOR FLAMMABLE,HAZARDOUS WASTES.   |
| Disclaimer (provided with this information by the compiling agencies):   |

TOOLS.

his information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.