

E I DUPONT DE NEMOURS & CO, INC -- 3811N -- 6850-00-204-9400

=====  
Product Identification  
=====

Product ID:3811N

MSDS Date:01/01/1985

FSC:6850

NIIN:00-204-9400

MSDS Number: BDJMS

=== Responsible Party ===

Company Name:E I DUPONT DE NEMOURS & CO, INC

Address:1007 MARKET STREET

Box:1635

City:WILMINGTON

State:DE

ZIP:19899

Country:US

Info Phone Num:800-441-7515

Emergency Phone Num:800-441-7515

CAGE:0

ERJ7

=== Contractor Identification ===

Company Name:E I DUPONT DE NEMOURS & CO, INC.

Address:1007 MARKET STREET

City:WILMINGTON

State:DE

ZIP:19898

Country:US

Phone:800-441-7515

CAGE:0ERJ7

Company Name:E.I. DUPONT DE NEMOURS & CO

Address:1007 MARKET STREET

Box:City:WILMINGTON

State:DE

ZIP:19898

Country:US

Phone:800-441-7515;800-441-9442

CAGE:18873

=====  
Composition/Information on Ingredients  
=====

Ingred Name:PETROLEUM DISTILLATES (NAPHTHA OR RUBBER SOLVENT)

CAS:8002-05-9

RTEC

S #:SE7449000  
Fraction by Wt: 79.0%  
OSHA PEL:400 PPM  
ACGIH TLV:400 PPM; 8990

Ingred Name:ALCOHOL (TYPE NOT SPECIFIED)  
Fraction by Wt: 18.0%

=====  
Hazards Identification  
=====

Effects of Overexposure:HEADACHE, NAUSEA, IMPAIRMENT OF REACTION TIME &  
COORDINATION.

=====  
First Aid Measures  
=====

First Aid:INHALATION: MOVE TO FRESH AIR TO RESTORE BREATHING. SKIN  
CONTACT: WASH WITH SOAP & WATER. REMOVE CONTAMINATED CLO  
THING. EYE  
CONTACT: FLUSH WITH WATER FOR AT LEAST 15 MIN; CALL A PHYSICIAN

=====  
Fire Fighting Measures  
=====

Lower Limits:1.16  
Upper Limits:6.0  
Extinguishing Media:FOAM, CARBON DIOXIDE, DRY CHEMICAL  
Fire Fighting Procedures:WATER FROM FOG NOZZLES MAY BE USED TO COOL  
CLOSED CONTAINERS  
Unusual Fire/Explosion Hazard:DANGER OF CANS EXPLODING UNDER HIGH  
TEMPERATURE CONDITIONS.

=====  
Accidental Release Measures  
=====

Spill  
Release Procedures:AVOID PROLONGED CONTACT WITH SKIN & BREATHING  
OF VAPOR. REMOVE SOURCES OF IGNITION. REMOVE WITH INERT ABSORBENT &  
NON-SPARKING TOOLS. VENTILATE AREA.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:KEEP AWAY FROM HEAT, SPARKS, & OPEN  
FLAME. CLOSE CONTAINER AFTER EACH USE. DO NOT STORE ABOVE 120F  
Other Precautions:WASH THOROUGHLY AFTER HANDLING & BEFORE EATING OR  
SMOKING. OBSERVE LABEL PRECAUTIONS.

=====

==== Exposure Controls/Personal Protection =====

Respiratory Protection:CARTRIDGE-TYPE RESPIRATOR

Ventilation:TO KEEP BELOW TLV & LEL

Protective Gloves:RUBBER

Eye Protection:GOGGLES

Other Protective Equipment:APPROPRIATE INDUSTRIAL HYGIENE PRACTICES.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V3

Boiling Pt:B.P. Text:176-320F

Vapor Pres:10

Vapor Density:1.53

Spec Gravity:0.820

Solubility in Water:APPRECIABLE

Appearance and

Odor:AEROSOL - CLEAR LIQUID

Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, SMOKE

===== Disposal Considerations =====

Waste Disposal Methods:METHOD MUST COMPLY WITH LOCAL, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is for

ulated for use by elements of the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.