Company Name: ASTRO DEVELOPMENT LABORATORIES INC. (BASF WYANDOTTE

Company Name: ASTRO DEVELOPMENT LABORATORY INC

Address:236 CALIFORNIA ST

=== Contractor Identification ===

Emergency Phone Num:213-322-2003

Box:City:EL SEGUNDO

State:CA

ZIP:90245-4309 Country:US

CAGE:7K997

CAGE:7K997

Company Name: BASF CORPORATION

Address:1609 BIDDLE AVE Box:City:WYANDOTTE

State:MI

ZIP:48192-3729 Country:US

Phone:313-246-6100

CAGE:05961

======= Composition/Information on Ingredients ========

Ingred Name: NO INGREDIENT FOR THIS FORMULATION_INGREDIENT

Effects of Overexposure

EVIDENCE OF TOXICITY DUE TO VAPOR INHALATION IS KNOWN
======================================
First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES-CALL A PHYSICIAN. INGESTION: INDUCE VOMITING. SKIN CONTACT: WASH WITH SOAP AND WATER.
======================================
Flash Point:>480F COC Extinguishing Media:WATER SPRAY, DRY CHEMICAL OR CARBON DIOXIDE (CO*2)
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS
========== Accidental Release Measures ==========
Spill Release Procedures:USE NORMAL CLEAN-UP PROCEDURES AS WITH ANY NON-HAZARDOUS LIQUID. FOR LARGE QUANTITIES, PROTECTIVE CLOTHING SHOULD BE WORN AS REQUIRED BY GOOD HYGIENE.
=========== Handling and Storage ============
Handling and Storage Precautions:STORE IN CLOSED CONTAINERS BELOW 110F. AVOID MOISTURE CONTAMINATION FROM AIR TO PROTECT PRODUCT QUALITY.
====== Exposure Controls/Personal Protection =======
Respiratory Protection:NONE NEEDED Protective Gloves:RUBBER Eye Protection:SAFETY GLASSES Other Protective Equipment:AVOID CONTACT WITH SKIN Supplemental Safety and Health THIS IS ONE OF THREE COMPONENTS IN A KIT UNDER SAME NSN.SEE P/N IND. A AND C.
======== Physical/Chemical Properties =========
HCC:N1 Spec Gravity:1.0000 Evaporation Rate & Description Reference:NA Solubilit

:AT ROOM TEMP. VAPORS ARE NONEXISTENT-NO

y in Water:SLIGHT			
Appearance and Odor:WATER-WHITE,SLIGHTLY '	VISCOUS LIQUID,	VERY LOW OF	DOR

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES AVOID MOISTURE TO PROTECT PRODUCT QUALITY. Stability Condition to Avoid:TEMPERATURES ABOVE 300F. Conditions to Avoid Polymerization: RIGID POLYURETHANE & PHOSPHORUS-CONTAINING FLAME RETARDANTS

======= Disposal Considerations ============

Waste Disposal Methods:FOR LARGE QUANTITIES: INCINERATE IN APPROVED MANNER, DO NOT DISCHARGE INTO TRIBUTARIES.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their

particular situation.