

ROYAL LUBRICANTS COMPANY INC. -- ROYCO 586L; GRADE L -- 9150-00-223-4130

=====
Product Identification
=====

Product ID:ROYCO 586L; GRADE L

MSDS Date:07/18/1995

FSC:9150

NIIN:00-223-4130

MSDS Number: BDKHQ

=== Responsible Party ===

Company Name:ROYAL LUBRICANTS COMPANY INC.

Address:72 EAGLE ROCK AVE

Box:518

City:EAST HANOVER

State:NJ

ZIP:07936

Country:US

Info Phone Num:201-887-7410

Emergency Phone

Num:201-887-7411

CAGE:07950

=== Contractor Identification ===

Company Name:ROYAL LUBRICANTS COMPANY INC.

Address:215 MERRY LN

Box:518

City:EAST HANOVER

State:NJ

ZIP:07936

Country:US

Phone:973-887-7411/7410

CAGE:07950

=====
Composition/Information on Ingredients
=====

Ingred Name:DISTILLATES, HYDROTREATED HEAVY PARAFFINIC

CAS:64742-54-7

RTECS #:PY8035500

Fraction by Wt: 40-60%

Other REC Limits:NONE SPECIFIED

OSHA PEL:300 PPM

ACGIH TLV:300 PPM

Ingred Name:MINERAL OIL, PETROLE

UM DISTILLATES, HYDROTREATED LIGHT
NAPHTHENIC

CAS:64742-53-6

RTECS #:PY8036000

Fraction by Wt: 40-60%

Other REC Limits:NONE SPECIFIED

OSHA PEL:5 MG/M3 (OIL MIST)

ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name:SULFURIZED ISOBUTYLENE

CAS:68511-50-2

Fraction by Wt: 1-5%

Other REC Limits:NONE SPECIFIED

Ingred Name:MINOR ADDITIVES

Fraction by Wt: 525F,>274C

Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN

Vapor Pres:NOT GIVEN

Vapor Density:NOT GIVEN

Spec Gravity:0.89

Viscosity:HIGH

Evaporation Rate & Reference:NOT GIVEN

Solubility in Water:NEGLIGIBLE

Appearance and Odor:SLIGHT YELLOW TINT WITH A SLIGHT HYDROCARBON ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:HIGH HEAT, OPEN FLAMES AND OTHER SOURCES
OF IGNITION

Hazardous Decomposition Products:A MIXTURE OF AIRBORNE SOLID,LIQUID
PARTICULATES & GASES SUCH AS OXIDES OF CARBON, AND SULFUR WILL
EVOLVE WHEN BURNT.

===

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IN AN APPROPRIATE DISPOSAL FACILITY IN
COMPLIANCE WITH LOCAL REGULATIONS. RECLAMATION OR
ENCLOSED-CONTROLLED INCINERATION IN ACCORDANCE WITH LOCAL, STATE
AND FEDERAL REGULATIONS IS RECOMMENDED .

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no mann

er whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.