

LUBRICATING SPECIALITIES CO, T -- MIL-H-5606 F(1) HYD FLUID,MLS 89-10,A 0600

=====
MSDS Safety Information
=====

FSC: 9150
NIIN: 00-223-4134
MSDS Date: 10/30/1991
MSDS Num: BDKHX
Product ID: MIL-H-5606 F(1) HYD FLUID,MLS 89-10,A 0600
MFN: 01
Responsible Party
Cage: 2X769
Name: LUBRICATING SPECIALITIES CO, TECHNOLUBE PROD DIV
Addr
ess: 8015 PARAMOUNT BLVD
City: PICO RIVERA CA 90660-4888
Info Phone Number: 310-928-3311
Emergency Phone Number: 310-928-3311, CHEMTREC 800-424-9300
Preparer's Name: UNKNOWN
Review Ind: Y
Published: Y

=====
Contractor Summary
=====

Cage: 1DL10
Name: NAUGHTON ENERGY CORP
Address: RT 940
Box: 709
City: POCONO PINES PA 18350-0709
Phone: 570-646-0422
Cage: 2X769
Name: TECHNOLUBE PRODUCT COMPANY
Addre
ss: 8015 PARAMOUNT BLVD.
City: PICO RIVERA CA 90660-4811
Phone: 562 776-4000 GEN: 562-776-4000

=====
Item Description Information
=====

Item Manager: S9G
Item Name: HYDRAULIC FLUID,PETROLEUM BASE
Specification Number: MIL-H-5606G
Type/Grade/Class: NONE
Unit of Issue: GL
UI Container Qty: 6
Type of Container: CAN

=====
Ingredients
=====

=====
Cas: 64742-46-7
RTECS #: JN9379645
Name: HYDROTREATED MIDDLE PETROLEUM DISTILLATE
% Wt: <85.0
Other REC Limits: 5 MG/CUM
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED

Cas: 64741-97-5
RTECS #: PY8041000
Name: DISTILLATES, SOLVENT-REFINED LIGHT NAPHTHENIC
% Wt: <10
Other REC Limits: NONE SPECIFIED
OSHA PEL: 300 PPM
ACGIH TLV: 300 PPM

Cas: 64742-53-6
RTECS #: PY8036000
Name: MINERAL OIL
L
Other REC Limits: NONE SPECIFIED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED
=====

Health Hazards Data
=====

LD50 LC50 Mixture: ORAL LD50 (RAT): UNKNOWN
Route Of Entry Inds - Inhalation: NO
Skin: YES
Ingestion: YES
Carcinogenicity Inds - NTP: NO
IARC: NO
OSHA: NO
Effects of Exposure: ACUTE-: NOT EXPECTED TO CAUSE ILL EFFECTS ON DIRECT CONTACT OR IF SWALLOWED SMALL QUANTITY. INHALATION OF MIST MAY CAUSE IRRITATION. SMALL AMOUNTS ASPIRATED INTO LUNGS MAY CAUSE PULMONARY INJURY. EYE: MAY CAUSE IRRITATION. CHRONIC-: PROLONGED/REPEATED SKIN CONTACT MAY CAUSE IRRITATION, INFLAMMATION AND/OR DERMATITIS.
Explanation Of Carcinogenicity: THE COMPONENTS OF THIS PRODUCT HAVE NOT SHOWN ANY EVIDENCE OF BEING CARCINOGENIC.
Signs And Symptoms Of Overexposure: INGESTION:NOT EXPECTED TO CAUSE ILL EFFECTS. INHALATION: MIST MAY CAUSE RESPIRATORY TRACT IRRITATION. SMALL AMOUNTS AS

PIRATED INTO LUNGS MAY CAUSE PULMONARY INJURY. EYE: MAY CAUSE IRRITATION. SKIN: MAY CAUSE IRRITATION. PROLONGED/REPEATED SKIN CONTACT MAY CAUSE IRRITATION, INFLAMMATION AND/OR DERMATITIS

Medical Cond Aggravated By Exposure: PERSONS WITH A SKIN DISORDER SHOULD AVOID PROLONGED CONTACT WHEN HANDLING OR USING THIS PRODUCT.

First Aid: SKIN: REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. INHALATION: REMOVE TO FRESH AIR & RESTORE BRE

ATHING IF NECESSARY. GET MEDICAL ATTENTION. EYE : IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. INGESTION: GET IMMEDIATE MEDICAL ATTENTION. DO NOT INDUCE VOMITING. NOTHING BY MOUTH IF UNCONSCIOUS.

=====
Handling and Disposal
=====

Spill Release Procedures: RECOVER FREE PRODUCT, OR ABSORB WITH DIATOMACEOUS EARTH OR OTHER INERT MATERIAL. STORE IN APPROPRIATE CONTAINER FOR DISPOSAL. KEEP PRODUCT OUT OF SEWERS AND WATERCOURSES BY DIKING OR IMPOUNDING. MINIMIZE SKIN CONTACT AND BREATHING VAPORS/MIST.

Waste Disposal Methods: DISPOSE OF WASTE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Handling And Storage Precautions: AVOID STORAGE NEAR OPEN FLAME OR OTHER SOURCES OF IGNITION, AND STRONG OXIDANTS. KEEP CONTAINERS CLOSED. AVOID PHYSICAL DAMAGE TO CONTAINERS.

Other Precautions: EMPTY CONTAINERS RETAIN RESIDUE. DO NOT PRESSURIZE, CUT, WELD OR EXPOSE TO HEAT, FLAME, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY. USE IN VENTILATED AREA. WAS H/SHOWER IF GENERAL CONTACT OCCURS.

=====
Fire and Explosion Hazard Information
=====

Flash Point Method: PMCC

Flash Point Text: 182F, 83C

Extinguishing Media: USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Proce

dures: WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY. CONTAIN RUNOFF.

Unusual Fire/Explosion Hazard: COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS SUCH AS CARBON DIOXIDE/MONOXIDE. VAPORS OF MATERIAL MAY BE EXPLOSIVE IN CONFINED AREAS.

=====
Control Measures
=====

Respiratory Protecti

on: USE SUPPLIED-AIR RESPIRATORY PROTECTION IN CONFINED OR ENCLOSED SPACES, IF NEEDED.

Ventilation: SUFFICIENT TO MAINTAIN ATMOSPHERE BELOW TLV LIMIT.

Protective Gloves: NEOPRENE, NITRILE, OR POLYVINYL ALCOHOL

Eye Protection: USE CHEMICAL SAFETY GOGGLES

Other Protective Equipment: EYE WASH STATION & SAFETY SHOWER. CHEMICALLY RESISTANT BOOTS AND APRONS RECOMMENDED.

Work Hygienic Practices: DO NOT TAKE INTERNALLY. AVOID SKIN CONTACT. WASH SKIN AFTER USING PRODUCT. DO NOT EAT, DRINK OR SMOKE IN WORK AREA.

=====
Physical/Chemical Properties
=====

HCC: V4

B.P. Text: 347F,175C

Decomp Text: UNKNOWN

Vapor Pres: <0.01

Vapor Density: >1

Spec Gravity: 0.868

Solubility in Water: INSOLUBLE

Appearance and Odor: RED OILY LIQUID, PETROLEUM ODOR

Corrosion Rate: UNKNOWN
=====

Reactivity Data
=====

=====
Stability Indicator: YES

Stability Condition To Avoid: EXTREMELY HIGH TEMPERATURES

Materials To Avoid: STRONG OXIDIZING AGENTS

Hazardous Decomposition Products: FUMES, SMOKE, CARBON MONOXIDE, AND OTHER DECOMPOSITION PRODUCTS IN THE CASE OF INCOMPLETE COMBUSTION.

Hazardous Polymerization Indicator: NO
=====

Toxicological Information
=====

=
Ecological Information
=====

MSDS Transport Information
=====

Regulatory Information
=====

Other Information
=====

=====
Transportation Information
=====

Responsible Party Cage: 2X769
Trans ID NO: 57433
Product ID: MIL-H-5606 F(1) HYD FLUID,MLS 89-10,A 0600
MSDS Prepared Date: 10/30/1991
Review Date: 04/18/1991
MFN: 1
Net Unit Weight: 7.3 LBS
Multiple KIT Number: 0
Review IND: Y
Unit Of Issue: GL
Container QTY: 6
Type Of Container: CAN
Additional Data: 6 CANS PER UNIT PACK/BOX
=====

=====
Detail DOT Information
=====

DOT PSN Code: ZZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

Detail IMO Information
=====

IMO PSN Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
=====

Detail IATA Information
=====

IATA PSN Code: ZZZ
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

Detail AFI Information
=====

AFI PSN Code: ZZZ
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

HAZCOM Label
=====

Product ID: M

IL-H-5606 F(1) HYD FLUID,MLS 89-10,A 0600

Cage: 2X769

Company Name: TECHNOLUBE PRODUCT COMPANY

Street: 8015 PARAMOUNT BLVD.

City: PICO RIVERA CA

Zipcode: 90660-4811

Health Emergency Phone: 213-928-3311

Label Required IND: Y

Date Of Label Review: 04/18/1991

Status Code: C

Label Date: 04/18/1991

Year Procured: 1990

Origination Code: F

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: CAUTION

Respiratory Protection IND: YES

Health Hazard: Slight

Contact Hazard: Slight

Fire Hazard: Slight

t

Reactivity Hazard: None

Hazard And Precautions: ACUTE-INGESTION:NO ILL EFFECTS EXPECTED. INHALATION OF MIST MAY CAUSE IRRITATION. MINUTE AMOUNTS ASPIRATED INTO LUNGS MAY CAUSE PULMONARY INJURY. EYE: IRRITATION. SKIN: NOT NORMALLY EXPECTED TO CAUSE ILL EFFECTS. CHRONIC-PROLONGED/REPEATEDSKIN CONTACT MAY CAUSE IRRITATION,DERMATITIS. RECOVER FREE PRODUCT, OR ABSORB WITH DIATOMACEOUS EARTH OR OTHER INERT MATERIAL. STORE IN APPROPRIATE CONTAINER FOR DISPOSAL. KEEP PRODUCT OUT OF SEWER

S AND WATERCOURSES BY DIKING OR IMPOUNDING. MINIMIZE SKIN CONTACT AND BREATHING VAPORS. AVOID STORAGE NEAR OPEN FLAME OR OTHER SOURCES OF IGNITION,AND STRONG OXIDANTS. DANGEROUS TO REUSE EMPTY CONTAINER.

=====
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied

warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the su

itability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.