

OCTAGON PROCESS,INC -- HYDROCHLORIC ACID -- 6810-00-237-2955

=====
Product Identification
=====

Product ID:HYDROCHLORIC ACID

MSDS Date:01/01/1985

FSC:6810

NIIN:00-237-2955

MSDS Number: BDLZM

=== Responsible Party ===

Company Name:OCTAGON PROCESS,INC

Address:596 RIVER ROAD

City:EDGEWATER

State:NJ

ZIP:07020-1105

Country:US

Info Phone Num:201-945-9400

Emergency Phone Num:201-945-9400

CAGE:DO973

===

Contractor Identification ===

Company Name:OCTAGON PROCESS INC.

Address:596 RIVER ROAD

Box:City:EDGEWATER

State:NJ

ZIP:07020

Country:US

Phone:201-945-9400

CAGE:82925

Company Name:OCTAGON PROCESS,INC.

Address:596 RIVER ROAD

City:EDGEWATER

State:NJ

ZIP:07020-1105

Country:US

Phone:201-945-9400

CAGE:DO973

=====
Composition/Information on Ingredients
=====

Ingred Name:HYDROGEN CHLORIDE (HYDROCHLORIC ACID) (SARA III)

CAS:7647-01-0

RTECS #:MW4025000

OSHA PEL:C 5 PPM

ACGIH TLV:C 5

PPM; 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

===== Hazards Identification =====

Effects of Overexposure:NOSEBLEEDS,BLEEDING OF THE GUMS,ULCERATION OF NASAL & ORAL MUCOSA.SEVER BURN TO EYES & INTERNAL ORGA

===== First Aid Measures =====

First Aid:EYES:IRRIGATE EYES WITH WATER.BODY:WASH BODY WITH SOAP & WATER.INGESTION:STOMACH WASH WITH 5% SODIUM CARBONATE SOLUTION, FOLLOWED BY DROP OF ALUMINUM HYDROXIDE GEL.PROVIDE OXYGEN,IF INDICATED. EXPOSUR E:REMOVE TO FRESH AIR. CALL DOCTOR.

===== Fire Fighting Measures =====

Extinguishing Media:WATER
Fire Fighting Procedures:NEUTRALIZE WITH SODA ASH OR SLAKED LIME. PROTECTIVE CLOTHING
Unusual Fire/Explosion Hazard:CONTACT WITH COMMON METALS PRODUCES HYDROGEN GAS MAY FORM EXPLOSIVE MIXTURES WITH AIR

===== Accidental Release Measures =====

Spill Release Procedures:COVER WITH SODIUM CARBONATE OR AN EQUAL MIXTURE OF SODA ASH AND SLAKED LIME. AFTER MIXING,ADD WATER IF NECESSARY TO FORM A SLURRY.

===== Handling and Storage =====

Handling and Storage Precautions:PROTECT AGAINST PHYSICAL DAMAGE,STORE IN COOL,WELL VENTILATED PLACE AWAY FROM ALL OXIDIZING MATERIALS
Other Precautions:AVOID ETHYLENE CONTACT IGNITION, CONTACT WITH METALS. UNEUTRALIZED ACID MUST NOT CONTACT SULFIDE GAS.

===== Exposure Controls/Personal P

rotection =====

Respiratory Protection:SELF-CONTAINED BREATHING APPARATUS

Ventilation:GENERAL-YES

Protective Gloves:YES

Eye Protection:YES

Other Protective Equipment:UNDER HIGH CONCENTRATIONS USE PROTECTIVE CLOTHING

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:C1

Boiling Pt:B.P. Text:230F,110C

Spec Gravity:1.19

Solubility in Water:COMPLETE

Appearance and Odor:CLEAR, COLORLESS TO SLIGHTLY YELLOW LIQUID. PUNGENT ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

HYDROGEN GAS WHEN REACTING WITH COMMON METALS

Stability Condition to Avoid:CONTACT WITH OXIDIZING MATERIALS

===== Disposal Considerations =====

Waste Disposal Methods:NEUTRALIZE WITH SODA ASH OR SLAKED LIME AND FLUSH WITH WATER.DISPOSE INTO A APPROVED CONTAINER.

Disclaimer (provided with this information by the compiling agencies):

This informat

ion is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.