

SHAPE PRODUCTS -- O-C-265B,CHEMICAL,ANALYTICAL,GEN.SPEC.FOR. -- 6810-00-241-1150  
===== Product Identification =====

Product ID:O-C-265B,CHEMICAL,ANALYTICAL,GEN.SPEC.FOR.

MSDS Date:01/01/1985

FSC:6810

NIIN:00-241-1150

MSDS Number: BDMJY

=== Responsible Party ===

Company Name:SHAPE PRODUCTS

Address:1127 57TH AVE.

City:OAKLAND

State:CA

ZIP:94621-4427

Country:US

Info Phone Num:415-534-1186

Emergency

Phone Num:415-534-1186

CAGE:3D869

=== Contractor Identification ===

Company Name:SHAPE PRODUCTS

Address:1127 57TH AVE.

Box:City:OAKLAND

State:CA

ZIP:94621-4427

Country:US

Phone:510-534-1186 OR 800-444-0015

CAGE:3D869

===== Composition/Information on Ingredients =====

Ingred Name:POTASSIUM CHLORATE

CAS:3811-04-9

RTECS #:FO0350000

Fraction by Wt: UNK

===== Hazards Identification =====

Effects of Overexposure:SORE THROAT,COUGHING,HEADACHE,DIZZ

INESS, BLUISH

SKIN,IRRITATES EYES,NAUSEA,ABDOM.PAIN,DIARRHEA,FAINT.

=====  
First Aid Measures  
=====

First Aid:INHALATION:FRESH AIR,REST & CALL DOCTOR; SKIN:REMOVE  
CONTAMINATED CLOTHES,RINSE SKIN W/PLENTY OF H2O;EYES:FIRST RINSE  
W/PLENTY OF WATER,THEN SEE DOCTOR,INGESTION:RINSE MOUTH,GIVE PLENTY  
OF WATER TO DRINK INDUCE VOMITING & CARRY TO HOSPITAL.

=====  
Fire Fighting Measures  
=====

Fire Fighting Procedur

es:FLOOD W/H2O;WEAR SELF-CONTAINED BREATHING  
APPARATUS.

Unusual Fire/Explosion Hazard:MAY CAUSE FIRE W/COMBUSTIBLES;POISONOUS  
GASES ARE PRODUCED IN FIRE;WHEN HTD GIVES OFF O2;IGN BY SHK

=====  
Accidental Release Measures  
=====

Spill Release Procedures:SWEEP UP SPILLED SUBSTANCE.DO NOT CONTAMINATE  
& REMOVE TO SAFE PLACE,WASH AWAY REMAINDER W/LARGE AMTS OF WATER,DO  
NOT ABSORB IN SAWDUST OR OTHER COMBUSTIBLE SUBSTANCES,USE EXTRA  
PERSONAL PROTECTION;C

A LSS 2B PART.FILTER RESP.ELIM.IGNITION  
SOURCES

=====  
Handling and Storage  
=====

Handling and Storage Precautions:SEPARATE FROM COMBUSTIBLE SUBSTANCES &  
REDUCING AGENTS,SEPARATE FROM STRONG ACIDS.PROTECT CONTAINERS  
AGAINST PHYSICAL DAMAGE.SEPARATE FR POWDERED MTLs

Other Precautions:SEPARATE FROM OXIDIZERS,AMMONIUM SALTS,SULFUR &  
FLAMMABLE VAPORS.USE ADEQUATE VENTILATION.PREVENT DISPERSION OF  
DUST.AVOID CONTAMINATION.AVOID MECH.SHOCK OR FRI

CTION.KEEP CONTS  
CLOSED.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:DUST MASK.

Ventilation:LOCAL EXHAUST

Protective Gloves:RUBBER

Eye Protection:SAFETY GOGGLES

Other Protective Equipment:PROTECTIVE CLOTHING

Supplemental Safety and Health

=====  
Physical/Chemical Properties  
=====

HCC:D1

Spec Gravity:2.337

Solubility in Water:APPRECIABLE

Appearance and Odor:SOLID,WHITE,ODORLESS

=====  
Stability and Reac

tivity Data =====

Stability Indicator/Materials to Avoid: YES

COMBUSTIBLES, REDUCING MATLS, NH<sub>3</sub> COMPDS, POWDERED METALS, ACID

Stability Condition to Avoid: AVOID COMBUSTIBLES.

Hazardous Decomposition Products: TOXIC FUMES, CHLORINE DIOXIDE FR  
REACTION W/ STRONG ACIDS.

===== Disposal Considerations =====

Waste Disposal Methods: KEEP IN COVERED DRUMS, PENDING DISPOSAL. HANDLE &  
DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE  
INTERNATIONAL, FEDERAL, STATE,  
& LOCAL REGULATIONS; OR USE VAST SOL. OF  
CONC. SOLN OF REDUCING AGENT (BISULFITE S). NEUTRALIZE W/ SODA ASH OR  
DILUTE HCL; DR W/ H<sub>2</sub>O.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should s

seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.