View NSN Online: https://aerobasegroup.com/nsn/6830-00-242-0803

ALLIED CORP. -- GENETRON 114 DICHLOROTETRAFLUOROETHANE -- 6830-00-242-0803 ============ Product Identification ==============

Product ID:GENETRON 114 DICHLOROTETRAFLUOROETHANE

MSDS Date:01/01/1987

FSC:6830

NIIN:00-242-0803

MSDS Number: BDMQG === Responsible Party === Company Name:ALLIED CORP.

Address: COLUMBIA RD AND PARK AVE

Box:1087R

City:MORRISTOWN

State:NJ ZIP:07960 Country:US

Info Phone Num:201-455-3073

Emer

gency Phone Num:201-455-3073

CAGE:70308

=== Contractor Identification ===

Company Name: HONEYWELL INTL INC ENVIRONMENTAL SYSTEMS AND SERVICES

Address:101 COLUMBIA RD Box:City:MORRISTOWN

State:NJ ZIP:07962 Country:US

Phone:973-455-3922

CAGE:70308

======= Composition/Information on Ingredients ========

Ingred Name: DICHLOROTRTRAFLUOROETHANE, CAS 76-14-2

CAS:1320-37-2 RTECS #:KI1100000 Fraction by Wt: 100%.

ACGIH TLV:1000 PPM ACGIH

===== Hazards Identification ======

Effects of Overexposure:SKIN & EYE CONTACT:FROSTBITE:INH:LOSS OF COORDINATION,INCREASED PULSE RATE,NAUSEA & DIZZINESS.
======================================
First Aid:INH:REMOVE TO FRESH AIR,GIVE ARTIFICIAL RESPIRATION OR OXYGEN AS REQUIRED;SKIN OR EYE:BATHE ANY FROSTBITE WITH LUKEWARM WATER,IN THE ABSENCE OF WATER,COVER WITH SOFT WOOL OR OTHER SUITABLE MATERIAL.
======================================
Fire Fighting Procedures:WEAR SELF-CNTND BRTHG APP Unusual Fire/Explosion Hazard:CONTAINERS MAY RUPTURE VIOLENTLY IN FIRE DUE TO OVERPRESSURE,RELEASING LARGE QUANTITIES OF GASES.
========= Accidental Release Measures ==========
Spill Release Procedures:USE PROPER EQ AGAINST FROSTBITE,IF A LARGE QUANTITY IS RELEASED,EVACUATE PERSONNEL & ALLOW TO DISSIPATE.
=========== Handling and Storage ==============
Handling and Storage Precautions:AVOID L IQUID CONTACT WITH EYE,SKIN OR CLOTHING.DO NOT PUNCTURE OR DROP CYLINDER OR EXPOSE THEM TO OPEN FLAME.
Other Precautions:DO NOT HEAT ABOVE 125F
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NORMALLY NONE. Ventilation:PROVIDE MECHAN(GEN/LOCAL EXHAUST)VENT TO MAINTN

===========