

ARDROX INC -- ARDROX MAGNE-TECH SY8000A/1 OIL BASE -- 6850-00-242-4723

=====  
Product Identification  
=====

Product ID:ARDROX MAGNE-TECH SY8000A/1 OIL BASE

MSDS Date:02/01/1990

FSC:6850

NIIN:00-242-4723

MSDS Number: BDMTD

=== Responsible Party ===

Company Name:ARDROX INC

Address:16961 KNOTT AVE

City:LA MIRADA

State:CA

ZIP:90638-6015

Country:US

Info Phone Num:714-739-2821

Emergency Phone Num:800-424

-9300(CHEMTREC)

CAGE:23373

=== Contractor Identification ===

Company Name:BRENT AMERICA, INC.

Address:16961 KNOTT AVE.

Box:City:LA MIRADA

State:CA

ZIP:90638-6015

Country:US

Phone:714-739-2821

CAGE:23373

=====  
Composition/Information on Ingredients  
=====

Ingred Name:WHITE MINERAL OIL

CAS:8042-47-5

RTECS #:PY8047000

Other REC Limits:NONE SPECIFIED

Ingred Name:UNIDENTIFIED COMPONENTS

=====  
Hazards Identification  
=====

Routes of Entry: Inhala

tion:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALE: ACUTE-THROAT & LUNG

IRRITATION. CHRONIC-NON-SPECIFIC SYMPTOMS RELATED TO NERVOUS SYSTEM, GASTROINTESTINAL TRACT, LUNGS. SKIN:ACUTE-IRRITATION, DERMATITIS. CHRONIC-CONTACT DERMATITIS. EYE: SLIGHTLY IRRITATING. AVOID EYE CONTACT. INGEST: DO NOT INGEST. SMALL AMOUNTS ARE NONFATAL UNLESS ASPIRATION OCCURS.

Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT

CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS.

Effects of Overexposure:SKIN-DRYNESS, REDNESS, CHAPPING.

EYE-IRRITATING. INGEST-MAY CAUSE DROWSINESS, DULLNESS, NUMBNESS & HEADACHE FOLLOWED BY DIZZINESS, WEAKNESS AND NAUSEA, LOSS OF CONSCIOUSNESS AND CONVULSION FOLLOWED BY DEATH.

Medical Cond Aggravated by Exposure:PERSONS WITH A HISTORY OF AILMENTS OR WITH A PRE-EXISTING DISEASE INVOLVING THE SKIN MAY BE AT INCR

EASED RISK FROM EXPOSURE.

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH RUNNING WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET IMMEDIATE MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING. GET MEDICAL ADVICE. INHALE: REMOVE TO FRESH AIR. GIVE CPR IF NOT BREATHING. IF HARD TO BREATHE, GIVE OXYGEN. GET MEDICAL ATTENTION. INGESTION: DO NOT INDUCE VOMITING. IF CONSCIOUS, GIVE LARGE AMOUNTS OF WATER. GET MEDICAL ATTENTION

===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:215F,102C

Autoignition Temp:Autoignition Temp Text:428F

Lower Limits:1.1

Upper Limits:6

Extinguishing Media:USE CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures:WATER MAY BE INEFFECTIVE BUT CAN BE USED TO COOL FIRE EXPOSE CONTAINERS. USE CAUTION WHEN USING WATER OR FOAM AS FROTHING MAY OCCUR.

Unusual Fire/Explosion Hazard:DENSE SMOKE M

AY BE GENERATED WHILE  
BURNING. CARBON MONOXIDE, CARBON DIOXIDE & OTHER OXIDES MAY BE  
GENERATED AS PRODUCTS OF COMBUSTION.

===== Accidental Release Measures =====

Spill Release Procedures:SMALL SPILL: WIPE/SOAK UP WITH NON-COMBUSTIBLE  
ABSORBENT INORGANIC MATERIAL. TRANSFER TO DOT-APPROVED CONTAINER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY PLACE, AWAY FROM  
IGNITION SOUR

CES. DO NOT STORE IN DIRECT SUNLIGHT, HIGH TEMPERATURE  
OR BELOW FREEZING AREAS. KEEP CLOSED.

Other Precautions:PROTECT CONTAINER FROM PHYSICAL DAMAGE. USE & STORE  
WITH ADEQUATE VENTILATION. GROUND ALL EQUIPMENT. DO NOT CUT, GRIND,  
WELD OR DRILL ON OR NEAR THIS CONTAINER. PERSONNEL SHOULD AVOID  
BREATHING VAPORS /MIST. AVOID EYE/SKIN CONTACT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WHEN RESPIRATOR PROTECTION IS REQUIRED FOR  
C  
ERTAIN OPERATIONS, USE A NIOSH APPROVED CANNISTER-TYPE RESPIRATOR.  
IF IN A POOR VENTILATED AREA, USE AN APPROVED POSITIVE-PRESSURE,  
SELF-CONTAINED BREATHING APPARATUS.

Ventilation:USE MECHANICAL VENTILATION FOR TLV'S. EXPLOSION-PROOF  
EXHAUST VENTILATION MAY BE NECESSARY FOR SOME OPERATIONS.

Protective Gloves:IMPERMEABLE GLOVES RECOMMENDED.

Eye Protection:SAFETY GLASSES - CHEMICAL SPLASH GOGGLES

Other Protective Equipment:WEAR PROTECTIVE CLOTHING. USE APRON, BOOTS  
OR FULL BODY SU

IT DEPENDING ON OPERATION. EYE WASH, SAFETY SHOWER,  
FIRE EXT.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE  
EATING, DRINKING OR SMOKING. LAUNDRER CONTAMINATED CLOTHING BEFORE  
REUSE.

Supplemental Safety and Health

AVOID PROLONGED OR REPEATED EXPOSURE. DO NOT GET ON SKIN OR IN EYES. DO  
NOT BREATHE VAPORS OR MIST. DO NOT INGEST. READ PRECAUTIONS ON  
LABEL BEFORE USE.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. T

ext:425F,218C

Vapor Pres:0.05

Vapor Density:6.72

Spec Gravity:0.8003

Solubility in Water:NEGLIGIBLE

Appearance and Odor:NO CHARACTERISTIC ODOR. BLACK PARTICLES SUSPENDED  
IN WATER WHITE LIQUID.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:STABLE UNDER NORMAL STORAGE CONDITIONS.

Hazardous Decomposition Products:NONE KNOWN

===== Disposal Considerations =====

=====

Waste Disposal Methods:DISPOSAL MUST BE MADE IN ACCORDANCE WITH  
APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek  
competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.