

SOUTHWEST PETRO-CHEM DIV OF WITCO -- XP-400 RUST INHIBITED POLISH -- 8030-00-244-1293

=====  
Product Identification  
=====

Product ID:XP-400 RUST INHIBITED POLISH

MSDS Date:01/01/1985

FSC:8030

NIIN:00-244-1293

MSDS Number: BDMZV

=== Responsible Party ===

Company Name:SOUTHWEST PETRO-CHEM DIV OF WITCO

Address:1400 S HARRISON

Box:1974

City:OLATHE

State:KS

ZIP:66061

Country:US

CAGE:70878

=== Contracto

r Identification ===

Company Name:EXXON CO USA-SOUTHWEST GREASE BUSINESS UNIT

Address:1400 S HARRISON

Box:1974

City:OLATHE

State:KS

ZIP:66061

Country:US

Phone:913-656-3701/800-424-9300(CHEMTREC)

CAGE:70878

=====  
Composition/Information on Ingredients  
=====

Ingred Name:STODDARD SOLVENT

CAS:8052-41-3

RTECS #:WJ8925000

OSHA PEL:500 PPM

ACGIH TLV:100 PPM; 9293

=====  
Hazards Identification  
=====

Effects of Overexposure:IRRIT TO EYES/SKIN. MAY PR

ODUCE DIZZ, HDACHES,  
NAUSEA.

===== First Aid Measures =====

First Aid:EYES: FLUSH W/LG AMT WATER 15 MIN, CALL MD IMMED. SKIN: WASH W/SOAP & WATER. INH: IF OVERCOME BY VAPORS, REMOVE FROM CONTAM AREA. CALL MD IMMED. INGEST: CALL MD IMMED.

===== Fire Fighting Measures =====

Flash Point:38C, 101F PMCC

Lower Limits:1.1

Upper Limits:6.1

Extinguishing Media:DRY CHEM, CO\*2, WATER FOG, FOAM, SAND, EARTH

Fire Fighting

Procedures:FIRE FIGHTERS SHOULD WEAR SELF-CNTND BRTHNG APPARATUS

Unusual Fire/Explosion Hazard:DENSE SMOKE

===== Accidental Release Measures =====

Spill Release Procedures:VENT AREA, UTILIZING PROPER PERSONAL PROT EQUIP, TRANSFER BULK OF MATL INTO ANOTHER CNTNR. ABSORB REMAINING RESIDUE W/PROPER ABSORBENTS. SWEEP UP & DISPOSE OF AS SOLID WASTE IAW LOCAL, STATE, FED REG.

===== Handling and Storage =====

Handling a

nd Storage Precautions:KEEP CNTNRS CLOSED

Other Precautions:KEEP OUT OF REACH OF CHILDREN

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH/MSHA APPRVD SELF-CNTND BRTHNG APPARATUS OR RESP

Ventilation:ANY SUFFICIENT TO KEEP BELOW TLV

Protective Gloves:RUBBER/PLASTIC

Eye Protection:SPLSH GOGGL&/OR FACE SHL

Supplemental Safety and Health

CHEMICAL AND PHYSICAL DATA BASED ON STODDARD SOLVENT MFR'S CODE 18879.  
PRODUCT IS GRADE 3

=====

=== Physical/Chemical Properties =====

HCC:F4

Boiling Pt:B.P. Text:149C, 300F

Vapor Density:4.8

Spec Gravity:0.791

Evaporation Rate & Reference:41 ETHYL ETHER

Solubility in Water:NEGLIGIBLE

Appearance and Odor:AMBER LIQ, STODDARD SLVNT

Percent Volatiles by Volume:50.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS SUCH AS CHROMIC ACID,BROMINE&H\*2O\*2

Hazardous Decomposition Products:CARBON

MONOXIDE, CARBON DIOXIDE

===== Disposal Considerations =====

Waste Disposal Methods:BY METHODS CONSISTENT W/LOCAL, STATE, FED REG

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utiliz

ing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.