

ASHLAND OIL INC -- TECTYL 894 -- 8030-00-244-1296

=====
===== Product Identification =====

Product ID:TECTYL 894
MSDS Date:01/01/1987
FSC:8030
NIIN:00-244-1296
MSDS Number: BDNBH
=== Responsible Party ===
Company Name:ASHLAND OIL INC
Address:1409 WINCHESTER AVE
Box:391
City:ASHLAND
State:KY
ZIP:41114
Country:US
Info Phone Num:606-324-1133, 800-325-3751
Emergency Phone Num:606-324-1133 OR 800-274-5263

C
AGE:81355
=== Contractor Identification ===
Company Name:ASHLAND INC
Address:1409 WINCHESTER AVE
Box:391
City:ASHLAND
State:KY
ZIP:41114
Country:US
Phone:800-622-6846
CAGE:81355

=====
===== Composition/Information on Ingredients =====

Ingred Name:SOLVENTS
Fraction by Wt: 40%
ACGIH TLV:500 PPM

Ingred Name:PETROLEUM (CRUDE OIL), (OSHA PEL IS FOR PETROLEUM
DISTILLATE AND ACGIH TLV IS FOR RUBBER SOLVENT)
CAS:8002-05-9
RTECS #:SE7175000
Fraction by Wt: 20%
OSHA PEL:400 PPM
ACGIH TL

V:400 PPM; 8990

=====
Hazards Identification
=====

Effects of Overexposure:EYE,THROAT,SKIN,LUNG IRRITANT

=====
First Aid Measures
=====

First Aid:WASH SKIN THOROUGHLY FLUSH EYES WITH WATER,REMOVE TO FRESH AIR,REMOVE CONTAMINATED CLOTHING GIVE ARTIFICIAL RESPIRATION IF NEEDED,CALL DOCTOR,DO NOT INDUCE VOMITING

=====
Fire Fighting Measures
=====

Flash Point:105F,40.6C CC

Lower Lim

its:1.0

Upper Limits:6.0

Extinguishing Media:FOAM,DRY CHEMICAL,FOG,CARBON DIOXIDE

Unusual Fire/Explosion Hazard:AVOID FIRE,HEAT,SPARKS,IGNITION SOURCES,STORAGE IN DIRECT SUNLIGHT

=====
Accidental Release Measures
=====

Spill Release Procedures:VENTILATE AREA MECHANICALLY,KEEP FROM FLAME,FIRE,SPARKS,IGNITION SOURCES;DO NOT BREATHE VAPORS;CONTAIN SPILL BY SIKE,PUMP INTO SALVAGE TANK

=====
Handling and Storage
=====

Hand

ling and Storage Precautions:KEEP CONTAINERS CLOSED,UPRIGHT,AWAY FROM FIRE,FLAME,SPARKS,IGNITION SOURCES,DIRECT SUNLIGHT

Other Precautions:WASH AFTER HANDLING

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NA

Ventilation:LOCAL EXHAUST

Protective Gloves:GLOVES,LONG

Eye Protection:GOGGLES/GLASSES

Other Protective Equipment:NA

Supplemental Safety and Health

=====
Physical/Chemical Properties
=====

HCC:F4

Boiling Pt:B.P.

Text:310F,154.4C
Vapor Pres:NA
Vapor Density:>AIR
Spec Gravity: