View NSN Online: https://aerobasegroup.com/nsn/6810-00-247-0598

Product ID:O-C-265, CHEMICAL ANALYTICAL, GEN SPEC FOR.

MSDS Date:01/01/1985

FSC:6810

NIIN:00-247-0598

MSDS Number: BDNKX === Responsible Party ===

Company Name: OCTAGON PROCESS, INC

Address:596 RIVER ROAD

City:EDGEWATER

State:NJ

ZIP:07020-1105 Country:US

Info Phone Num:201-945-9400

Emergency Phone Num:201-945-9400

CAGE:DO973

=== Contractor Identification ===

Company Name: OCTAGON PROCESS INC.

Address:596 RIVER ROAD Box:City:EDGEWATER

State:NJ ZIP:07020 Country:US

Phone:201-945-9400

CAGE:82925

Company Name: OCTAGON PROCESS, INC.

Address:596 RIVER ROAD

City:EDGEWATER

State:NJ

ZIP:07020-1105 Country:US

Phone:201-945-9400

CAGE:DO973

======= Composition/Information on Ingredients ========

Ingred Name:POTASSIUM CYANIDE (SARA III)

CAS:151-50-8

RTECS #:TS8750000

Fract

ion by Wt: 96.0% OSHA PEL:5 MG/M3 (CN) ACGIH TLV:S, 5 MG/M3 (CN);9192 EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS
======================================
Effects of Overexposure:GIDDINESS,HEADACHE,UNCONSCIOUSNESS,CONVULSIONS WITH POSSIBLE LOSS OF BREATHING
======================================
First Aid:IF BREATHING HAS STOPPED,USE ARTIFICIAL RESPIRATION.INDUCE VOMITING,USE AMYL NITRATE INHALATION AMPULE.CALL DOCTOR IMMEDIATEL
Y.WASH IMMEDIATELY CONTAMINATED AREAS OF BODY WITH SOAP & ABUNDANT QUANTITI ES OF WATER.
======================================
Flash Point:NONE Extinguishing Media:WATER Fire Fighting Procedures:WEAR SELF CONTAINED AIR SUPPLY OR AIR LINE RESPIRATOR. Unusual Fire/Explosion Hazard:WILL BECOME VERY COMBUSTIBLE IF HYDROGEN CYANIDE GAS IS EVOLVED IN CONTACT WITH ACIDS.
========= Accidental Release Measures ==========
Spill Release Proc edures:USE WATER FOR SPILLS.PERSONNEL MUST WEAR SELF CONTAINED AIR SUPPY OR AIR LINE RESPIRATORS.WASH SKIN WITH SOAP AND WATER THOROUGHLY & IMMEDIATELY.COLLECT BY SWEEPING WITH A B ROOM ONTO A PAPER SHEET.DI SPOSE BY BURNING THE PAPER.
======================================
Handling and Storage Precautions:STORE IN A COOL DRY PLACE.SEPARATE FROM OTHER STORAGE & PROTECT FROM ACIDS & OXIDIZING MATERIALS.WEAF LONG RUBBER GLOVES.SELF CONTAINED BREAT

HING AIR. Other Precautions:OVERALLS,APRONS.AVOID EXPLOSIVES,AMMONICAL SILVER,HEATING,SHOCK,STANDING,POTASSIUM NITRITE,OXIDING AGENTS & CHROMIUM TETRAOXIDE
======= Exposure Controls/Personal Protection ========
Respiratory Protection:SELF CONTAINED AIR SUPPLY OR AIR LINE RESPIRATORS.
Ventilation: AS REQUIRED TO MAINTAIN TLV AT 5 PPM Protective Gloves: RUBBER
Eye Protection:GOGGLES Other Protective Equipment:OVERALLS,APRONS Supplemental Safety and Health
THE MINIMUM COMPO SITION BY WEIGHT AND PERCENTAGE FOR THIS PRODUCT IS 96% AS SPECIFIED IN FEDERAL SPECIFICATION OC265
======================================
HCC:T2 Spec Gravity:1.52 Solubility in Water:COMPLETE Appearance and Odor:WHITE LUMPS OR CRYSTALS WITH FAINT ODOR OF ALMONDS
========== Stability and Reactivity Data ===========
Stability Indicator/Materials to Avoid:YES AVOID CONTACT WITH ACIDS & OXIDIZING MATERIALS Hazardous Decomposition Products:HYDROGE N CYANIDE GAS IN CONTACT WITH

ACIDS

======= Disposal Considerations ===========

Waste Disposal Methods:ADD BY STIRRING EXCESSIVE STRONG ALKALI SOLUTION OF CALCIUM HYPOCHLORITE.AFTER 24 HOURS PUT INTO APPROVED STORAGE CONTAINERS FOR POISON B MATERIALS

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.