

OCTAGON PROCESS,INC -- O-C-265,CHEMICAL ANALYTICAL,GEN SPEC FOR. -- 6810-00-247-0598
===== Product Identification =====

Product ID:O-C-265,CHEMICAL ANALYTICAL,GEN SPEC FOR.

MSDS Date:01/01/1985

FSC:6810

NIIN:00-247-0598

MSDS Number: BDNKX

=== Responsible Party ===

Company Name:OCTAGON PROCESS,INC

Address:596 RIVER ROAD

City:EDGEWATER

State:NJ

ZIP:07020-1105

Country:US

Info Phone Num:201-945-9400

Emergency Phone Num:201-945-9400

CAGE:DO973

=== Contractor Identification ===

Company Name:OCTAGON PROCESS INC.

Address:596 RIVER ROAD

Box:City:EDGEWATER

State:NJ

ZIP:07020

Country:US

Phone:201-945-9400

CAGE:82925

Company Name:OCTAGON PROCESS,INC.

Address:596 RIVER ROAD

City:EDGEWATER

State:NJ

ZIP:07020-1105

Country:US

Phone:201-945-9400

CAGE:DO973

===== Composition/Information on Ingredients =====

Ingred Name:POTASSIUM CYANIDE (SARA III)

CAS:151-50-8

RTECS #:TS8750000

Fract

ion by Wt: 96.0%
OSHA PEL:5 MG/M3 (CN)
ACGIH TLV:S, 5 MG/M3 (CN);9192
EPA Rpt Qty:10 LBS
DOT Rpt Qty:10 LBS

=====
Hazards Identification
=====

Effects of Overexposure:GIDDINESS,HEADACHE,UNCONSCIOUSNESS,CONVULSIONS
WITH POSSIBLE LOSS OF BREATHING

=====
First Aid Measures
=====

First Aid:IF BREATHING HAS STOPPED,USE ARTIFICIAL RESPIRATION.INDUCE
VOMITING,USE AMYL NITRATE INHALATION AMPULE.CALL DOCTOR
IMMEDIATELY
WASH IMMEDIATELY CONTAMINATED AREAS OF BODY WITH SOAP &
ABUNDANT QUANTITIES OF WATER.

=====
Fire Fighting Measures
=====

Flash Point:NONE
Extinguishing Media:WATER
Fire Fighting Procedures:WEAR SELF CONTAINED AIR SUPPLY OR AIR LINE
RESPIRATOR.
Unusual Fire/Explosion Hazard:WILL BECOME VERY COMBUSTIBLE IF HYDROGEN
CYANIDE GAS IS EVOLVED IN CONTACT WITH ACIDS.

=====
Accidental Release Measures
=====

Spill Release Procedures:USE WATER FOR SPILLS.PERSONNEL MUST WEAR SELF
CONTAINED AIR SUPPLY OR AIR LINE RESPIRATORS.WASH SKIN WITH SOAP AND
WATER THOROUGHLY & IMMEDIATELY.COLLECT BY SWEEPING WITH A BROOM
ONTO A PAPER SHEET.DISPOSE BY BURNING THE PAPER.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN A COOL DRY PLACE.SEPARATE
FROM OTHER STORAGE & PROTECT FROM ACIDS & OXIDIZING MATERIALS.WEAR
LONG RUBBER GLOVES,SELF CONTAINED BREATHING

HING AIR.

Other Precautions:OVERALLS,APRONS.AVOID EXPLOSIVES,AMMONICAL SILVER,HEATING,SHOCK,STANDING,POTASSIUM NITRITE,OXIDING AGENTS & CHROMIUM TETRAOXIDE

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:SELF CONTAINED AIR SUPPLY OR AIR LINE RESPIRATORS.

Ventilation:AS REQUIRED TO MAINTAIN TLV AT 5 PPM

Protective Gloves:RUBBER

Eye Protection:GOGGLES

Other Protective Equipment:OVERALLS,APRONS

Supplemental Safety and Health

THE MINIMUM COMPO

SITION BY WEIGHT AND PERCENTAGE FOR THIS PRODUCT IS

96% AS SPECIFIED IN FEDERAL SPECIFICATION OC265

=====
===== Physical/Chemical Properties =====

HCC:T2

Spec Gravity:1.52

Solubility in Water:COMPLETE

Appearance and Odor:WHITE LUMPS OR CRYSTALS WITH FAINT ODOR OF ALMONDS

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

AVOID CONTACT WITH ACIDS & OXIDIZING MATERIALS

Hazardous Decomposition Products:HYDROGE

N CYANIDE GAS IN CONTACT WITH

ACIDS

=====
===== Disposal Considerations =====

Waste Disposal Methods:ADD BY STIRRING EXCESSIVE STRONG ALKALI SOLUTION OF CALCIUM HYPOCHLORITE.AFTER 24 HOURS PUT INTO APPROVED STORAGE CONTAINERS FOR POISON B MATERIALS

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.