

THE ENTERPRISE CO. -- OLEORESINOUS VARNISH -- 8010-00-251-6980

=====  
Product Identification  
=====

Product ID:OLEORESINOUS VARNISH

MSDS Date:01/01/1985

FSC:8010

NIIN:00-251-6980

MSDS Number: BDNWK

=== Responsible Party ===

Company Name:THE ENTERPRISE CO.

Address:2841 S ASHLAND

City:CHICAGO

State:IL

ZIP:60608-5322

Country:US

CAGE:EO903

=== Contractor Identification ===

Company Name:ENTERPRISE CHEMI

CAL COATING CO DIV OF INSILCO CORP

Address:2841 S ASHLAND

Box:City:CHICAGO

State:IL

ZIP:60608-5322

Country:US

CAGE:60035

Company Name:THE ENTERPRISE CO/WHEELING, IL 60090

CAGE:EO903

=====  
Composition/Information on Ingredients  
=====

Ingred Name:NAPHTHA (PETROLEUM SPIRITS OR BENZIN)

CAS:8030-30-6

RTECS #:SE7555000

Fraction by Wt: 36.6%

OSHA PEL:100 PPM

Ingred Name:ETHYL CELLOSOLVE

RTECS #:KK8550000

Fraction by Wt: 5.4%

ACGIH TLV:200 PPM

=====  
Hazards Identif

ication =====

Effects of Overexposure:EXCESSIVE,PROLONGED INHAL MAY RESULT IN  
HEADACHE,NAUSEA,AND MILD EYE IRRITATION

===== First Aid Measures =====

First Aid:EYE:FLUSH WITH WATER.CALL DR. SKIN:WIPE RESIN OFF AND WASH  
AFFECTED AREA.INGEST:DO NOT INDUCE VOMIT.

===== Fire Fighting Measures =====

Flash Point:27/80 CC  
Lower Limits:1.1  
Extinguishing Media:FOAM,CO\*2,DRY CHEM.,SAND.  
Fire Fighting Proce  
dures:CONTAINERS MAY RUPTURE DUE TO EXCESSIVE HEAT  
AND PRESSURE  
Unusual Fire/Explosion Hazard:AVOID USE OF WATER

===== Accidental Release Measures =====

Spill Release Procedures:WITH OR WITHOUT SOLID ABSORBENT,SHOVEL OR  
SCOOP INTO CONTAINER.SOLVENT RINSE AND WASH DOWN AREA KEEP WELL  
VENTILATED.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID FLAME,HIGH TEMP. STORAGE AND  
LOCALIZED SOLVENT VA  
POR BUILD-UP.  
Other Precautions:GROUND EQUIP.TO AVOID ELECTRICAL SPARKING.DO NO TAKE  
INTERNALLY AND AVOID PROLONGED CONTACT OR INHAL.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NORMALLY NECESSARY  
Ventilation:LOCAL:TO REDUCE VAPORS AND REDUCE FIRE HAZARD.  
Protective Gloves:NEOPRENE  
Eye Protection:SAFETY GOGGLES OR GLASSES  
Other Protective Equipment:EQUIP.COMPLYING WITH OSHA 1910.132-135.  
Supplemental Safety and Health

=====

Physical/Chemical Properties =====

HCC:F3

Boiling Pt:B.P. Text:275-400 F

Vapor Pres:2

Vapor Density:>1

Spec Gravity:0.89

Evaporation Rate & Reference:TOLUEN=1: