View NSN Online: https://aerobasegroup.com/nsn/9150-00-252-6380 BATTENFELD AMERICA INC. -- VVC-846A TYPE I -- 9150-00-252-6380 Product ID:VVC-846A TYPE I MSDS Date:01/01/1987 FSC:9150 NIIN:00-252-6380 MSDS Number: BDNXZ === Responsible Party === Company Name: BATTENFELD AMERICA INC. Emergency Phone Num:716-822-8410 CAGE:61808 === Contractor Identification === Company Name: BATTENFELD AMERICA INC Address:1575 CLINTON ST Box:Cit y:BUFFALO State:NY ZIP:14206 Country:US Phone:716-822-8410 CAGE:61808 ====== Composition/Information on Ingredients ======== Ingred Name:MINERAL OIL (CAS #6474-52-5) CAS:64742-52-5 RTECS #:PY8035000 Fraction by Wt: 85% ACGIH TLV:5 MG/CUM (MIST) Ingred Name: SODIUM SULFONATE Fraction by Wt: 10% Ingred Name:WATER (CAS #7732-18-5) CAS:7732-18-5

RTECS #:ZC0110000 Fraction by Wt: 2%

Ingred Name: TALL OIL (SODIUM SALT) (CAS #65997-01-5)

Fraction by Wt: 2%

====== Hazar

ds Identification ============
Effects of Overexposure:SKIN & EYE MILD IRRIT.
======================================
First Aid:INHAL:RMV TO FRESH AIR. IF NOT BRTHNG GIVE CPR; IF BRTHNG DIFF GIVE OXYGEN. EYE:IMMED FLUSH W/PLENTY OF WATER. SKIN:WASH W/SOAP&WATER. RMV CONTAM CLTHG&SHOES. INGEST:INDUCE VOMIT. RPT UNTIL VOMIT IS C LEAR. NOTHG BY MOUTH IF UNCONSC. GET MEDICAL ATTN.
======================================
Flash Point:350F,176.6C(COC) Extinguishing Media:WATER FOG, CO*2 Fire Fighting Procedures:WEAR SCBA & PROTECTIVE CLOTHING Unusual Fire/Explosion Hazard:NONE
======== Accidental Release Measures =========
Spill Release Procedures: ABSORB W/SAND OR INERT MATERIAL. SWEEP OR SCOOP UP & REMOVE.
=========== Handling and Storage =============
Handling and Storage Precautions:PRODUCT HAS NO FLASH POINT WHEN DILUTED W/WATER TO NORMAL USE DILUTION
(20:1). Other Precautions:WASH THOROUGHLY AFTER HANDLING, DO NOT GET IN EYES OR ON CLOTHING. DO NOT BREATHE DUST, VAPOR, MIST, GAS.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NIOSH/MESA APPROVED FILTER RESP FOR DUST,FUME & MIST.
Ventilation:LOCAL EXHAUST TO MAINTAIN EXPOSURE BELOW PERMISSIBLE TLV. Protective Gloves:RUBBER/NEOPRENE Eye Protection:GOGGLES/FACE SHIELD Other Protective Equipment:APRON Supplemental Safety and Health MSDS DATED

3/5/87.
======================================
HCC:V6 Boiling Pt:B.P. Text:700F,371C Vapor Pres:NIL Spec Gravity:0.92 Solubility in Water:COMPLETE Appearance and Odor:OILY FLUID, BLAND ODOR Percent Volatiles by Volume:2
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZERS

Disposal Considerations =========

Hazardous Decomposition Products:CO & CO*2

Stability Condition to Avoid: NONE SPECIFIED BY MFR.

Waste Disposal Methods:INCINERATE I/A/W ALL LOCAL, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.