

CASTROL INC -- BRAYCO MICRONIC 757 B -- 9150-00-252-6383

===== Product Identification =====

Product ID:BRAYCO MICRONIC 757 B

MSDS Date:01/08/1987

FSC:9150

NIIN:00-252-6383

MSDS Number: BDNFYF

=== Responsible Party ===

Company Name:CASTROL INC

Address:16815 VON KARMAN AVE,SUITE 202

City:IRVINE

State:CA

ZIP:92714

Country:US

Info Phone Num:714-660-9414

Emergency Phone Num:714-660-9414

Preparer's Name

:LOU BONA

CAGE:CASTR

=== Contractor Identification ===

Company Name:CASTROL INC

Address:240 CENTENNIAL AVE

City:PISCATAWAY

State:NJ

ZIP:08854-3910

Country:US

Phone:908-980-9100

CAGE:CASTR

Company Name:CASTROL INDUSTRIAL NORTH AMERICA INC SPECIALTY PRODUCTS
DIV

Address:1001 WEST 31ST STREET

Box:City:DOWNERS GROVE

State:IL

ZIP:60515-1280

Country:US

Phone:800-621-2661/ FAX: 630-241-4140

CAGE:2R128

===== Composition/Information on Ingredients =====

Ingred Name:NON HAZARDOUS I

INGREDIENTS

Fraction by Wt: 100%

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES
Health Hazards Acute and Chronic:SEE OVEREXPOSURE.
Effects of Overexposure:MAY CAUSE SLIGHT IRRITATION TO SKIN.

===== First Aid Measures =====

First Aid:INHAL-REMOVE FM AREA OF VAPORS. EYES-FLUSH W/WATER UNTIL
IRRIT SUBSIDES;SEE PHYSICIAN ASAP. SKIN-WIPE OFF;WASH W/SOAP &
WATER. INGEST-DO NOT
INDUCE VOMITING;CONTACT A PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:215F/102C
Extinguishing Media:DRY CHEM,CARBON DIOXIDE,FOAM,WATER FOG.
Fire Fighting Procedures:DO NOT USE WATER EXCEPT AS FOG OR SPRAY TO
COOL CONTNRS OR TANKS TO AVOID HEATING ABOVE FLASHPOINT.

===== Accidental Release Measures =====

Spill Release Procedures:MOP OR WIPE UP,OR ABSORB W/CLAY,DIATOMACEOUS
EARTH OR OTHER
INERT MATL & STORE IN CLOSED METAL CONTNRS.

===== Handling and Storage =====

Handling and Storage Precautions:NO SPECIAL PRECAUTIONS. AMBIENT
CONDITIONS ACCEPTABLE.DO NOT STORE NEAR EXTREME HEAT,OPEN FLAME,OR
SOURCES OF IGNITION.
Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NORM REQD. USE AIR SUPPLIED RESPIR
PROTECTION IN CONFINED OR ENCLOSED AREAS.
Ventilation:LOCAL EXHAU

ST;PROVIDE > 60 CFM FOR CONFINED AREAS.

Protective Gloves:CHEM RESISTANT.

Eye Protection:SPLASH GOGGLES.

Other Protective Equipment:CHEM RESISTANT APRON/OTHER PROTECT CLOTHING
TO AVOID PROLONGED SKIN CONTACT.

Work Hygienic Practices:NORMAL.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:>400F/204C

Spec Gravity:0.875

Solubility in Water:INSOLUBLE

Appearance and Odor:LOW VISCOSITY FLUID,DYED RED,PETROLEUM ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Hazardous Decomposition Products:SMOKE,CARBON MONOXIDE & ASPHYXIANTS.

===== Disposal Considerations =====

Waste Disposal Methods:CONTROLLED INCINERATION OR METHOD IN COMPLIANCE
W/LOCAL,STATE & FED REGS REGARDING HEALTH,AIR & WATER POLLUTION.

Disclaimer (provided with this information by the compiling agencies):

This inf

ormation is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.