

PENRECO -- MIL-H-5606E PETROLEUM BASED HYDRAULIC OIL -- 9150-00-252-6383

=====
Product Identification
=====

Product ID:MIL-H-5606E PETROLEUM BASED HYDRAULIC OIL

MSDS Date:01/01/1985

FSC:9150

NIIN:00-252-6383

MSDS Number: BDNYP

=== Responsible Party ===

Company Name:PENRECO

Emergency Phone Num:(412)283-5600

CAGE:PENRE

=== Contractor Identification ===

Company Name:PENRECO

Address:4401 PARK AVENUE

City:DICKINSON

State:TX

ZIP:77539

Country:US

Phone:713-236-6070

CAGE:PENRE

Company Name:PENRECO, DIV OF PENNZOIL CO

Address:700 MILIAM ST

Box:2967

City:HOUSTON

State:TX

ZIP:77252

Country:US

Phone:800-245-3952

CAGE:86459

=====
Composition/Information on Ingredients
=====

Ingred Name:HYDRAULIC FLUID,PETROLEUM

Fraction by Wt: 100%

ACGIH TLV:NOT SPECIFIED

=====
Hazards Identification
=====

Effects of Overexposure:EYES:CAUSES BURNING AND IRRITAT

ION.SKIN:MAY

CAUSE REDNESS AND IRRITATION.DERMATITIS MAY DEVELOP

=====
First Aid Measures
=====

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O*2 IF
NEED;EYES/SKIN:FLUSH W LG AMTS H*2O FOR 15 MIN;INGEST:RINSE MOUTH;
GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER
SYMPTOMS OF OVEREXPOSURE.

=====
Fire Fighting Measures
=====

Flash Point:200F MIN (C.O.C.

Lower Limits:UNKN

Upper Limits:UNKN

Ex

Extinguishing Media:CARBON DIOXIDE,DRY CHEMICALS,FOAM

Fire Fighting Procedures:USE WATER TO COOL SURROUNDING CONTAINERS OF
FLAM &COMBUST MA

Unusual Fire/Explosion Hazard:NONE SPECIFIED BY THE MFR.

=====
Accidental Release Measures
=====

Spill Release Procedures:SPREAD OIL DRY MATERIAL ON SPILL AND SWEEP UP
OR DILUTE SPILL WITH PETROLEUM SOLVENT AND WIPE UP.PROVIDE ADEQUATE
VENTILATION AND AVOID SOURCES OF IGNITION.

=====
Handling and Stor

age
=====

Handling and Storage Precautions:STORE IN A COOL,WELL VENTILATED AREAS.

KEEP THE CONTAINERS TIGHTLY CLOSED. KEEP AWAY FROM OPEN FLAMES

Other Precautions:AVOID SKIN AND EYE CONTACT.WASH HANDS THOROUGHLY WITH
SOAP AND WATER BEFORE EATING OR SMOKING

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:IF EXPOS D TLV,NIOSH/MESA APPR SELF-CNTND BRTHG
APP (POS PR MODE)

Ventilation:MECH(GEN)OR LOCAL EXHAUST THAT PROVIDES AD

EQUATE

VENTILATION

Protective Gloves:PV/RUBBER

Eye Protection:SAFETY/CHEM GOGGLES

Other Protective Equipment:AS REQUIRED TO PREVENT PROLONGED CONTACT.

Supplemental Safety and Health

MSDS DATE APRIL,1980

===== Physical/Chemical Properties =====

HCC:V4

Boiling Pt:B.P. Text:440F

Vapor Pres:1.0

Spec Gravity:0.85

Evaporation Rate & Reference: