

ELDORADO CHEMICAL CO INC. -- ELDORADO ED-371 -- 7930-00-253-0778

=====
Product Identification
=====

Product ID:ELDORADO ED-371

MSDS Date:01/01/1987

FSC:7930

NIIN:00-253-0778

MSDS Number: BDNZH

=== Responsible Party ===

Company Name:ELDORADO CHEMICAL CO INC.

Address:14350 LOOKOUT ROAD

Box:34837

City:SAN ANTONIO

State:TX

ZIP:78265

Country:US

Info Phone Num:512-653-9323

Emergency Phone Num:800-531-1

088

CAGE:55208

=== Contractor Identification ===

Company Name:ELDORADO CHEMICAL COMPANY, INC.

Address:14350 LOOKOUT ROAD

Box:34837

City:SAN ANTONIO

State:TX

ZIP:78265-4837

Country:US

Phone:800-531-1088/ 210-653-2060

CAGE:55208

=====
Composition/Information on Ingredients
=====

Ingred Name:ETHANOLAMINE

CAS:141-43-5

RTECS #:KJ5775000

Fraction by Wt: 5%

OSHA PEL:3 PPM/6 STEL

ACGIH TLV:3 PPM/6 STEL; 9192

Ingred Name:CRESOL, ALL ISOMERS (CRESYLIC ACID) (SARA III)

CAS:1319-77-3

R

TECS #:GO5950000
Fraction by Wt: 17%
OSHA PEL:S, 5 PPM
ACGIH TLV:S, 5 PPM; 9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:2-BUTOXYETHANOL
CAS:111-76-2
RTECS #:KJ8575000
Fraction by Wt: 3%
OSHA PEL:S, 50 PPM
ACGIH TLV:S, 25 PPM; 9293

Ingred Name:AROMATIC HIGH FLASH NAPHTHA (CS #64742-95-6)
Fraction by Wt: 65%
ACGIH TLV:100 PPM

===== Hazards Identification =====

Effects of Overexposure:CORROSIVE TO SKIN & EYES; CRONIC EXPOSURE MAY
RESULT IN DER
MATITIS.

===== First Aid Measures =====

First Aid:INHAL:RMV TO FRESH AIR. IF NOT BRTHNG GIVE CPR; IF BRTHNG
DIFF GIVE OXYGEN. EYE:IMMED FLUSH W/PLENTY OF WATER. SKIN:WASH
W/SOAP & WATER. RMV CONTAM CLTHG & SHOES. INGEST:DO NOT INDUCE
VOMIT. NOTHG BY MOUTH IF UNCONSC. GET MEDICAL ATTN.

===== Fire Fighting Measures =====

Flash Point:270F,132C
Lower Limits:2
Upper Limits:15
Extinguishing Media:CARBON DIOXIDE, F
OAM
Fire Fighting Procedures:WEAR SCBA & PROTECTIVE CLOTHING
Unusual Fire/Explosion Hazard:HIGH TEMP MAY BURST CONTAINERS.

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB WITH INERT MATL AND PLACE IN SEALED
DRUM FOR DISPOSAL. ELIMIN IGNIT, VENT AREA, WEAR SCBA IN ENCLOSED
AREAS, FLUSH RESIDUE W/LG AMT WATER TO CHEM SEWER

===== Handling and Storage =====

Handling and Storage Precautions:AVOID SKIN C

CONTACT. DO NOT USE IN
CONFINED SPACES. KEEP CONTAINER CLOSED WHEN NOT IN USE. STORE IN
COOL DRY AREA AWAY FROM HEAT & FLAME.

Other Precautions:PROTECT CONTAINERS FROM DAMAGE.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH/MSHA APPROVED RESP FOR ORGANIC FUMES.
Ventilation:MECHANICAL REQD. LOCAL RECOMMENDED FOR ENCLOSED AREAS.
Protective Gloves:RUBBER
Eye Protection:FULLFACE SHIELD
Other Protective Equipment:RUBBER APRON AND BOOTS
Supplem
ental Safety and Health
MSDS DATED 8/4/86. TYPE II MATERIAL OF FED SPEC P-S-571 (REPLACED BY
CID)

=====
===== Physical/Chemical Properties =====

HCC:C2
Boiling Pt:=104.4C, 220.F
Vapor Pres:20
Spec Gravity:1
Evaporation Rate & Reference:1 (WATER=1)
Solubility in Water:MODERATE
Appearance and Odor:AMBER COLORED LIQUID, CRESOL ODOR.EMULSIFIER.
Percent Volatiles by Volume:60

=====
===== Stability and Reactivity Data =====

Stability Indicator/Mate
rials to Avoid:YES
NONE
Stability Condition to Avoid:NONE
Hazardous Decomposition Products:CO*2, CO

=====
===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE I/A/W ALL LOCAL, STATE & FEDERAL
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants thi

s information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.