

OCTAGON PROCESS INC. -- MIL-L-10324A -- 9150-00-257-5440

=====
Product Identification
=====

Product ID:MIL-L-10324A

MSDS Date:01/01/1985

FSC:9150

NIIN:00-257-5440

MSDS Number: BDPKK

=== Responsible Party ===

Company Name:OCTAGON PROCESS INC.

Emergency Phone Num:201-945-9400

CAGE:82925

=== Contractor Identification ===

Company Name:OCTAGON PROCESS INC.

Address:596 RIVER ROAD

Box:City:EDGEWATER

Sta

te:NJ

ZIP:07020

Country:US

Phone:201-945-9400

CAGE:82925

=====
Composition/Information on Ingredients
=====

Ingred Name:LUBRICANT

Fraction by Wt: UNKN

ACGIH TLV:UNKN

Ingred Name:ANTIWEAR AGENTS

Fraction by Wt: UNKN

ACGIH TLV:UNKN

=====
Hazards Identification
=====

Effects of Overexposure:SKIN CONTACT MAY CAUSE DERMATITIS.

=====
First Aid Measures
=====

First Aid:CONTACT: IMMED FLUSH EYES OR SKIN W/ P

LENTY OF WATER. RMV
CONTAM CLTHG & SHOES. CALL A PHYSICIAN.

=====
Fire Fighting Measures
=====

Flash Point:180F/82.2C UNKN
Extinguishing Media:CO*2, FOAM, DRY CHEM & H*2O FOG.
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Procedures:RMV IGNITION SOURCES. ABSORB W/
NON-COMBUSTIBLE ABSORBENT & PLACE IN METAL CONTAINER FOR DISPOSAL.
FLUSH CONTAMINAT
ED AREA W/ WATER.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN COOL, DRY, WELL VENTILATED
AREA. PROTECT FROM PHYSICAL DAMAGE. KEEP CONTAINERS CLOSED. MAINTAIN
STANDARD HYGIENE FOR CHEM HANDLING.
Other Precautions:NONE

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NONE
Ventilation:NORMAL ROOM VENTILATION.
Protective Gloves:RUBBER/NEOPRENE
Eye Protection:GOGGLES
Other Protective E
quipment:RUBBER APRON W/ NORMAL WORK CLOTHING.
Supplemental Safety and Health
MIL-L-10324A HAS BEEN CANCELLED USE MIL-L-2105. OCTAGON AWARDED 4 DFSC
CONTRACTS 1974-1976. FOR TOTAL 1948 CN. MSDS UNDATED.

=====
Physical/Chemical Properties
=====

HCC:V4
Boiling Pt:B.P. Text:680F/360C
Spec Gravity:0.88
Solubility in Water:NEGLIGIBLE
Appearance and Odor:AMBER LIQUID, PETROLEUM ODOR
Percent Volatiles by Volume:UNKN

=====
Stability and Reactivity Data
=====

=====

Stability Indicator/Materials to Avoid: YES
STRONG OXIDIZING AGENTS.

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF COLLECTED WASTE MATERIAL IN
ACCORDANCE WITH ALL APPLICABLE LOCAL, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.