

PHILLIPS PETROLEUM COMPANY -- PHILUBE SMP GEAR OIL (GRADE 80) -- 9150-00-258-7594

=====
Product Identification
=====

Product ID:PHILUBE SMP GEAR OIL (GRADE 80)

MSDS Date:01/01/1985

FSC:9150

NIIN:00-258-7594

MSDS Number: BDPLD

=== Responsible Party ===

Company Name:PHILLIPS PETROLEUM COMPANY

Emergency Phone Num:918-661-3865

CAGE:46916

=== Contractor Identification ===

Company Name:PHILLIPS PETROLE

UM CO

Address:613 ADAMS

Box:City:BARTLESVILLE

State:OK

ZIP:74004

Country:US

Phone:800-234-6603

CAGE:46935

Company Name:PHILLIPS PETROLEUM COMPANY

CAGE:46916

=====
Composition/Information on Ingredients
=====

Ingred Name:SULFURIZED COMPOUND, ORGANIC (ADDITIVE)

Fraction by Wt: < 5%

Ingred Name:HYDROCARBON OIL

Fraction by Wt: UNK

=====
Hazards Identification
=====

Effects of Overexposure:SKIN: IRRITANT. EYES: IRRITANT.

=====

= First Aid Measures =====

First Aid:SKIN: WASH WITH SOAP AND WATER. EYE: FLUSH FOR 15 MINUTES WITH WATER.

===== Fire Fighting Measures =====

Flash Point:>350F, 177C, COC

Extinguishing Media:CO*2, SAND, DRY CHEMICALS OR FOAM.

Fire Fighting Procedures:AVOID USE OF WATER EXCEPT AS FOG TO COOL HEAT EXPOSED CANS.

Unusual Fire/Explosion Hazard:TYPICAL NON-VOLATILE LIQUID.

===== Accidental Release Measures =====

===

Spill Release Procedures:CONTAIN SPILLS. KEEP OUT OF WATER SOURCES AND SEWER. PROTECT FROM IGNITION. ABSORB IN EARTH OR SAWDUST.

===== Handling and Storage =====

Handling and Storage Precautions:PROTECT FROM IGNITION. PROVIDE MEANS OF CONTROLLING LEAKS AND SPILLS.

Other Precautions:MINIMIZE SKIN CONTACT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:MFR RECOMMENDS NONE.

Ventilation:MFR RECOMMENDS NON

E.

Protective Gloves:SEE OTHER EQUIP

Eye Protection:CHEM SPLASH GOGGLES

Other Protective Equipment:USE IMPERVIOUS GLOVES OF NEOPRENE

Supplemental Safety and Health

SPECIFIC GRAVITY: 0.88-0.92. CONTAINER SIZE: 55 GAL DRUM

===== Physical/Chemical Properties =====

HCC:V6

Evaporation Rate & Reference: