

DELTA PETROLEUM CO INC. -- FOG OIL -- 9150-00-261-7895

===== Product Identification =====

Product ID:FOG OIL

MSDS Date:11/01/1985

FSC:9150

NIIN:00-261-7895

MSDS Number: BDPNT

=== Responsible Party ===

Company Name:DELTA PETROLEUM CO INC.

Box:10397

City:JEFFERSON

State:LA

ZIP:70181-0397

Country:US

Info Phone Num:504-833-2861

Emergency Phone Num:504-833-2861

Preparer's Name:I.R.SWOAP

CAGE:7A348

===

Contractor Identification ===

Company Name:DELTA PETROLEUM CO., INC

Address:10352 RIVER ROAD,

Box:10397

City:ST. ROSE

State:LA

ZIP:70087

Country:US

Phone:504-832-2732

CAGE:7A348

===== Composition/Information on Ingredients =====

Ingred Name:PETROLEUM OIL

Fraction by Wt: 100.0%

Other REC Limits:5MG/CUM AS OIL MIST

===== Hazards Identification =====

LD50 LC50 Mixture:5G/KG(RAT);3G/KG (RABBIT)

Routes of Entry: Inhalation:YES Skin:YES Ingest

ion:YES

Health Hazards Acute and Chronic:ACUTE:MAY IRRITATE EYES OR SKIN OR
RESPIRATORY TRACT. CHRONIC:NO DATA AVAILABLE.

Effects of Overexposure:MAY CAUSE IRRITATION OF EYES,SKIN & RESPIRATORY
TRACT.

Medical Cond Aggravated by Exposure:NO DATA AVAILABLE.

=====
===== First Aid Measures =====

First Aid:EYES:WASH THOROUGHLY WITH PLENTY OF WATER. SKIN:WASH WITH
SOAP & WATER. INHALATION:REMOVE TO FRESH AIR.

=====
===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:305F/152C

Extinguishing Media:FOAM,WATER SPRAY,DRY CHEMICAL,CO*2,

Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA IN AN ENCLOSED
AREA.USE WATER TO COOL FIRE EXPOSED CONTAINER.

Unusual Fire/Explosion Hazard:NONE NOTED

=====
===== Accidental Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;WIPE UP OR
ABSORB ON SUITABLE MATERIAL AND RECOVER FOR PROPER DISPOSAL.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY AREA;KEEP AWAY FROM
HEAT,OPEN FLAMES.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NEEDED IF THERE IS ADEQUATE VENTILATION.

Ventilation:NORMAL ROOM VENTILATION

Protective Gloves:IMPERVIOUS

Eye Protection:CHEMICAL GOGGLES

Other Protective Equipment:EYE WASH AND APRON.

Work Hygienic Practices:AVOID CONTACT WITH EYES AND SKIN:DO NOT BR

EATHE
VAPORS/MIST.
Supplemental Safety and Health
MSD RECEIVED BY DGSC-SLM:10FEB,1988.

===== Physical/Chemical Properties =====

HCC:V6
Boiling Pt:B.P. Text:0.910
Viscosity:19 CST AT 40C
Solubility in Water:NEGLIGIBLE
Appearance and Odor:PALE

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZERS.
Stability Condition to Avoid:EXTREME HEAT.
Hazardous Decomposition Products:CO,CO*2,ALDEHYDE
& KETONE,COMBUSTION
PRODUCTS OF NITROGEN & SULFUR.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH
LOCAL,STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to
be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.