

OMNITECH INTERNATIONAL INC -- PENETRATING OIL -- 9150-00-261-7899

===== Product Identification =====

Product ID: PENETRATING OIL

MSDS Date: 08/04/1989

FSC: 9150

NIIN: 00-261-7899

MSDS Number: BDPNX

=== Responsible Party ===

Company Name: OMNITECH INTERNATIONAL INC

Address: 800 N ACADIA RD

City: THIBODAUX

State: LA

ZIP: 70301

Country: US

Info Phone Num: 504-446-2003

Emergency Phone Num: 504-446-2003

CAGE: KO34

2

=== Contractor Identification ===

Company Name: AMERICAN INK AND OIL CORP

Address: 33 ENDICOTT STREET

Box: City: NORWOOD

State: MA

ZIP: 02062-3006

Country: US

Phone: 781-762-0026 / FAX: 781-762-1617

CAGE: 82956

Company Name: OMNITECH INTERNATIONAL INC

Address: 800 N ACADIA RD

City: THIBODAUX

State: LA

ZIP: 70301

Country: US

Phone: 504-446-2003

CAGE: KO342

Company Name: QPL INC, FORMERLY OMNITECH INTERNATIONAL, INC.

Address: 800 N. ACADIA ROAD

Box: City: THIBODAUX

State: LA

ZIP: 70301

Country: US

Phone: 504-394-8440

CA

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ALIPHATIC PETROLEUM SOLVENT  
CAS:8008-20-6  
RTECS #:OA5500000  
Other REC Limits:NONE SPECIFIED

Ingred Name:UNIDENTIFIED COMPONENTS

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE: IRRITATION OF EYES, SKIN,  
RESPIRATORY OR G.I. TRACTS;  
CNS EFFECTS. CHRONIC: DEFATTING OR  
DERMATITIS.

Explanation of Carcinogenicity:DATA PER MSDS  
Effects of Overexposure:MAY CAUSE HEADACHE, DIZZINESS, NAUSEA, VOMITING  
OR GI TRACT DISTURBANCES POSSIBLE. BURNS OR REDNESS OF  
EYES/CRACKING OR DRYNESS OF SKIN.

Medical Cond Aggravated by Exposure:PERSONS WITH A HISTORY OF AILMENTS  
OR WITH A PRE-EXISTING DISEASE INVOLVING THE EYES, SKIN, OR  
RESPIRATORY TRACT MAY BE AT INCREASED RISK FROM EXPOSURE.

=====  
First Aid Me  
asures  
=====

First Aid:INHALATION:REMOVE TO FRESH AIR. RESUSCITATE IF NOT BREATHING.  
GET MEDICAL ATTENTION. EYES:IMMEDIATELY FLUSH WITH PLENTY OF WATER  
FOR 15 MINUTES HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION.  
SKIN:REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. IF  
IRRITATION PERSISTS, GET MEDICAL ADVICE. INGESTION:DO NOT INDUCE  
VOMITING. GIVE NOTHING BY MOUTH IF UNCONSCIOUS. GET IMMEDIATE  
MEDICAL ATTENTION.

=====  
Fire Fig  
hting Measures  
=====

Flash Point:125F,52C  
Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY  
CHEMICAL.  
Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A  
FULL FACED SELF CONTAINED BREATHING APPARATUS. EVACUATE AREA. COOL  
FIRE EXPOSED CONTAINERS WITH WATER SPRAY.  
Unusual Fire/Explosion Hazard:FLOWING PETROLEUM PRODUCTS CAN BE IGNITED  
BY STATIC ELECTRICITY.

=====  
Accidental Release Measures  
=====

Spill

Release Procedures:USE PROPER PERSONAL PROTECTION; CONTAIN FREE MATERIAL IF POSSIBLE; USE SUITABLE INERT ABSORBENT MATERIAL AND RECOVER FOR PROPER DISPOSAL IN AN APPROVED CONTAINER.

Neutralizing Agent:NOT APPLICABLE.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY, WELL VENTILATED AREA. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. PROTECT CONTAINERS FROM PHYSICAL DAMAGE.

Other Precautions:DO NOT TAKE INTERNALLY. DO NOT BREATHE MIST. AVOID PROLONGED OR REPEATED BREATHING OF VAPOR. AVOID CONTACT WITH EYES. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR AS REQUIRED IF ABOVE PEL/TLV OR SCBA IN AN ENCLOSED AREA.

Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV.

Protective Gloves:NEOPRENE, NITRILE, OR NATURAL RUBBER

Eye Protection:SAFETY GOGGLES WITH OPTIONAL FACE SHIELD

Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER,WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supplemental Safety and Health

AVOID PROLONGED OR REPEATED EXPOSURE. DO NOT GET ON SKIN OR IN EYES. DO NOT BREATHE VAPORS OR MISTS.

=====  
===== Physical/Chemical Properties =====

HCC:F4

Boiling Pt:

B.P. Text:330F-515F

Melt/Freeze Pt:M.P/F.P Text:-22F,-30C

Vapor Pres: