

OCTAGON PROCESS INC -- VV-C-846 TYI -- 9150-00-261-8144

=====
Product Identification
=====

Product ID:VV-C-846 TYI

MSDS Date:01/01/1985

FSC:9150

NIIN:00-261-8144

MSDS Number: BDPPQ

=== Responsible Party ===

Company Name:OCTAGON PROCESS INC

Emergency Phone Num:(201)945-9400

CAGE:82925

=== Contractor Identification ===

Company Name:OCTAGON PROCESS INC.

Address:596 RIVER ROAD

Box:City:EDGEWATER

Stat

e:NJ

ZIP:07020

Country:US

Phone:201-945-9400

CAGE:82925

=====
Composition/Information on Ingredients
=====

Ingred Name:A-SULFONIC ACID

Fraction by Wt: 0.8%

=====
Hazards Identification
=====

Effects of Overexposure:EYES:IRRIT;SKIN:IRRIT, POSSIBLE SKIN DISORDERS
(DERMATITIS, FOLLICULITIS, OIL ACNE, SKIN CANCER)

=====
First Aid Measures
=====

First Aid:SKIN:REMOVE OIL BY WIPING, THOROUGHLY WASH W/SO
AP & WATER.

EYES:WASH W/WATER, GET MEDICAL ATTENTION.

=====
Fire Fighting Measures
=====

Flash Point:380F OC

Extinguishing Media:FOAM, CO*2, DRY CHEMICAL

Fire Fighting Procedures:NORMAL

Unusual Fire/Explosion Hazard:NORMAL

=====
Accidental Release Measures
=====

Spill Release Procedures:ABSORB W/INERT MATERIAL

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN COOL D

RY PLACE. AVOID MIST &
VAPORS & PROLONGED SKIN CONTACT. USE MSHA/NIOSH APPROVED RESP EQUIP,
IF NECESSARY

Other Precautions:CLEAN CONTAMINATED CLOTHING BEFORE REUSE. USE GOOD
PERSONAL HYGIENE. THIS PRODUCT CONTAINS DROMUS OIL A, WHICH MAY
INDUCE SKIN CANCER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALL REQ D. FOR MIST USE NIOH APPROVED
BREATHING EQUIP.

Ventilation:AS REQ D IF MIST IS GENERATED

Protective Gloves:RUBBER

Eye Protection:GOGGLES

Other Protective Equipment:APROPRIATE CLOTHING TO AVOID SKIN CONTACT

Supplemental Safety and Health

THIS PRODUCT CONTAINS DROMUS OIL A,WHICH IS READILY EMULSIFIED IN WATER
& CONTAINS 87% PETROLEUM HYDROCARBONS,10% PETROLEUM
SULFONATES,ORGANIC ACID,AMINE & POLY GLYCOL.

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:680F

Spec Gravity:0.9100

Solubility in Water:NEGLIGIBLE

Appearance and Odor:COLORLESS OR PALE YELLOW
LIQ, SLIGHT OIL ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

CA REACT W/OXIDIZING MATERIALS

Hazardous Decomposition Products:CO,OXIDES OF SULFUR AND NITROGEN

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IN ACCORDANCE W/FED, STATE & LOCAL CODES

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements

of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.