View NSN Online: https://aerobasegroup.com/nsn/9150-00-261-8146

PENNZOIL PRODUCTS CO -- MOLD RELEASE OIL #100 -- 9150-00-261-8146

Product ID:MOLD RELEASE OIL #100 MSDS Date:03/22/1988 FSC:9150 NIIN:00-261-8146 MSDS Number: BDPPR === Responsible Party === Company Name: PENNZOIL PRODUCTS CO Address:21 SENECA ST Box:808 City:OIL CITY State:PA ZIP:16301-0808 Country:US Info Phone Num:713-546-8512 (ENVIRN,SAF,HEALTH) **Emergency Pho** ne Num:318-636-2711 CAGE:0MDU7 === Contractor Identification === Company Name: PENNZOIL CO Address:700 MILIAM PENNZOIL PL Box:2967 **City:HOUSTON** State:TX ZIP:77252-2967 Country:US Phone:800-546-6227 CAGE:01326 Company Name: PENNZOIL PRODUCTS CO., PENRECO DIV. Address:4426 E WASHINGTON BLVD Box:2967 **City:LOS ANGELES** State:CA ZIP:90023 Country:US Phone:213-268-4271 CAGE:0MDU7

Ingred Name:LIGHT NAPHTHENIC HYDROTREATED DISTILLATE CA

S:64742-53-6 RTECS #:PY8036000 Fraction by Wt: 60-80% ACGIH TLV:5 MG/CUM (AS MIST)

Ingred Name:HEAVY NAPHTHENIC HYDROTREATED DISTILLATE CAS:64742-52-5 RTECS #:PY8035000 Fraction by Wt: 20-40% ACGIH TLV:5 MG/CUM (AS MIST)

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES
Health Hazards Acute and Chronic:ON RARE OCCASIONS,PROLONG/REPEAT EXPOS TO OIL MIST POSES A RISK OF PULMONARY DISEASE LIKE CHRONIC LUNG INFLAM.
SHORTNESS OF BREATH & COUGH MOST COMMON SYMPTOMS.
Effects of Overexposure:INHAL & EYES-NOT EXPECTED TO BE A PROBLEM. SKIN-SLIGHT IRRIT;REPEAT/PROLONG CONTACT-OIL ACNE,POSS DERMATITIS. INGEST-RELATIVELY NON-TOXIC;HAS LAXATIVE PROPERTIES & MAY RESULT IN ABDOM CRAMPS & DIARRHE A.

Medical Cond Aggravated by Exposure:NONE GIVEN

First Aid:EYE-IMMED FLUSH W/WATER;IF MATL HOT,GET TO HOSPITAL IMMED. INHAL-GET TO FRESH AIR,GIVE ARTIF RESPIR IF REQD. SKIN-REMOVE CONTAM CLOTH,WASH AREA W/SOAP & WATER;IF IRRIT/REDNESS DEVEL GET

MED ATTN; IF MA TL HOT & CAUSES BURN, GET TO HOSPITAL IMMED. INGEST-DO NOT INDUCE VOMITING, GET MED ATTN.

Flash Point Method:COC Flash Point:>300F/149C Extinguishing Media:DRY CHEM,FOAM,CARBON DIOXIDE Fire Fighting Procedures:WATER MAY BE INEFFECTIVE & CAUSE FROTHING BUT CAN BE USED TO COOL FIRE-EXPOSED CON TNRS.

Unusual Fire/Explosion Hazard: DENSE SMOKE W/CARBON MONOXIDE & CARBON DIOXIDE,& OTHER OXIDES MAY BE GENERATED DURING FIRE.

Spill Release Procedures:REMOVE ALL IGNITION SOURCES. DO NOT ALLOW SPILL TO ENTER SEWERS OR WATERCOURSES,ABSORB W/APPROP INERT MATL LIKE SAND,CLAY,ETC. LGE SPILLS-USE VACUUM PUMPS,SHOVELS,ETC. PLACE IN DRUMS/OTHER SUITABLE CO NTNRS. NOTIFY PROPER AUTHORITIES.

ndling and Storage ======= Ha

Handling and Storage Precautions:STORE IN CLOSED CONTNRS AWAY FM HEAT,SPARKS,OPEN FLAME OR OXIDIZING MATL. DO NOT TRANSFER TO UNMARKED CONTNRS.

Respiratory Protection: IF VAPOR/MIST IS GENERATED DURING USE, USE ORGANIC RESPIR W/DUST & MIST FILTER. DO NOT USE OXYGEN IN HYDROCARBON ATMOSPHERES.
Ventilation: ADEQUATE TO KEEP BELOW TLV.
Protective Gloves: FOR PROLONG/REPEAT C
ONTACT-IMPERVIOUS
Eye Protection: FACE SHIELD/SAFETY GOGGLES IF NEEDED
Other Protective Equipment: IF CONDITIONS WARRANT-IMPERVIOUS BOOTS & APRON.
Work Hygienic Practices: WASH FACE & HANDS W/SOAP & WATER BEFORE EATING, DRINKING OR SMOKING.
Supplemental Safety and Health

HCC:V6 Boiling Pt:B.P. Text:500F/260C Spec Gravity:0.9 Solubility in Water:INSOLUBLE Appearance and Odor:CLEAR BRIGHT LIQUID,PETROLEUM ODOR

============

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:NONE Hazardous Decomposition Products:NONE

Waste Disposal Methods: MAY BE INCINERATED OR LANDFILLED. RECYCLE IF POSS. COMPLY W/ALL FED, STATE & LOCAL REGS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by ele ments of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.